

# Delock USB 5 Gbps Cable USB Type-C™ male to USB Type-B male 3 m red metal

## Description

This USB cable by Delock enables the connection between a device with a USB Type-B connector and a PC or a laptop equipped with a free USB Type-C™ port.

## Metal housing and strain relief

Thanks to the elegant metal housing and sturdy strain relief on both sides, the cable is optimally protected against damage in everyday use.



**Item no. 80614**

EAN: 4043619806140

Country of origin: China

Package: Zip poly bag

## Technical details

- Connectors:
  - 1 x USB 5 Gbps USB Type-C™ male
  - 1 x USB 5 Gbps Type-B male
- Connector with metal housing
- Host = USB Type-C™; Device = USB Type-B
- Cable gauge:
  - 28 AWG data line
  - 24 AWG power line
- Cable diameter: ca. 5.5 mm
- Contacts gold-plated
- Connectors gold-plated
- Cable triple shielded
- Resistor: 5.1 kΩ
- Data transfer rate up to 5 Gbps
- Colour: black / red
- Length incl. connectors: ca. 3 m

## Package content

- USB cable

---

## Images



## General

|                |            |
|----------------|------------|
| Specification: | USB 5 Gbps |
|----------------|------------|

## Interface

|              |                      |
|--------------|----------------------|
| Connector 1: | 1 x USB Type-C™ male |
| Connector 2: | 1 x USB Type-B male  |

## Technical characteristics

|                     |        |
|---------------------|--------|
| Data transfer rate: | 5 Gbps |
| Resistor:           | 5.1 kΩ |

## Physical characteristics

|                      |                                       |
|----------------------|---------------------------------------|
| Connector finishing: | gold-plated                           |
| Pin finishing:       | gold-plated                           |
| Conductor gauge:     | 28 AWG data line<br>24 AWG power line |
| Shielding:           | triple                                |
| Length:              | 3 m                                   |
| Colour:              | black / red                           |
| Cable diameter:      | 5.5 mm                                |