

## imageRUNNER C3326i

# RELIABILITY, SECURITY AND HIGH PRODUCTIVITY FROM A COLOUR A3 MULTIFUNCTION PRINTER

### MAIN CONFIGURATION OPTIONS



This flat configuration is for illustration purpose only. For a complete list of options and the exact compatibility relationships, please refer to the [online product configurator](#)

# TECHNICAL SPECIFICATIONS

# imageRUNNER C3326i

|                                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                |                                                                                                                                                                                                                                                                                                                                                                                                 |
|------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>MAIN UNIT</b>                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | <b>Page description languages</b>              |                                                                                                                                                                                                                                                                                                                                                                                                 |
| Machine type                       | A3 Colour Laser Multifunctional                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | <b>Direct Print</b>                            | Standard: UFR II, PCL6<br>Optional: Adobe® PostScript®3™<br>Supported file types:                                                                                                                                                                                                                                                                                                               |
| Core functions                     | Print, Copy, Scan, Send and Optional Fax                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |                                                | RUI: PDF, EPS, TIFF/JPEG, XPS                                                                                                                                                                                                                                                                                                                                                                   |
| Processor                          | 1.6 GHz Dual Core Processor                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | <b>Printing from mobile and cloud</b>          | USB Memory: PDF, TIFF/JPEG, XPS<br>Network Place: PDF, TIFF/JPEG, XPS                                                                                                                                                                                                                                                                                                                           |
| Control Panel                      | 17.8 cm/7 inch TFT LCD WVGA Colour Touch panel                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                                                | AirPrint, Mopria, Canon PRINT Business, uniFLOW Online and Universal Print by Microsoft                                                                                                                                                                                                                                                                                                         |
| Memory                             | Standard: 2.0GB RAM                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | <b>OS Standard Printing</b>                    | A range of software solutions is available to provide printing from mobile devices and cloud-based services depending on your requirements. Please contact your sales representative for further information                                                                                                                                                                                    |
| Storage                            | Standard: (eMMC) 64GB<br>Optional: (SSD) 256GB                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                                                | Android/Windows® 10/Windows® 11/Chrome OS/macOS (11.2.2 or later), iOS (15.2 or later), iPadOS                                                                                                                                                                                                                                                                                                  |
| <b>Interface Connection</b>        | NETWORK                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | <b>Fonts</b>                                   | PS fonts: 136 Roman<br>PCL fonts: 93 Roman, 10 Bitmap fonts, 2 OCR fonts, Andalé Mono WT                                                                                                                                                                                                                                                                                                        |
|                                    | Standard: 1000Base-T/100Base-TX/10Base-T, Wireless LAN (IEEE802.11b/g/n)<br>OTHERS<br>Standard: USB 2.0 (Host) x 2, USB 2.0 (Device) x 1                                                                                                                                                                                                                                                                                                                                                                                                                                             |                                                | J/K/S/T* (Japanese, Korean, Simplified and Traditional Chinese), Barcode fonts**<br>*1 Requires optional PCL INTERNATIONAL FONT SET-A1<br>** Requires optional BARCODE PRT KIT-D1                                                                                                                                                                                                               |
| Paper Supply capacity (A4, 80gsm)  | Standard: 1,200 Sheets<br>Maximum: 2,300 Sheets (with optional Cassette Feeding Unit-AW1)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | <b>Print Features</b>                          | Secure Print, Secure Watermark, Header/Footer, Page Layout, Two-sided Printing, Mixed Paper Sizes/ Orientations, Toner Reduction, Poster Printing, Forced hold printing, Print Date, Scheduled Printing, Printing Using a Virtual Printer                                                                                                                                                       |
| Paper output capacity (A4, 80gsm)  | Standard: 250 Sheets<br>Maximum: 650 Sheets (with optional Inner Finisher-L1 and Copy Tray-T2)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                                                | UFR II: Windows®10/11/Server 2012/Server 2012 R2/Server 2016/Server 2019/Server 2022, MAC OS X (10.13 or later)<br>PCL: Windows®10/11/Server 2012/Server 2012 R2/Server 2016/Server 2019/Server 2022, MAC OS X (10.13 or later)<br>PS: Windows®10/11/Server 2012/Server 2012 R2/Server 2016/Server 2019/Server 2022, MAC OS X (10.13 or later)<br>PPD: Windows®10/11, MAC OS X (10.13 or later) |
| Finishing capabilities             | Collate, Group, Offset, Staple, Hole Punch, Eco Staple, Staple On Demand<br>* Finishing capabilities vary, depending on the options selected                                                                                                                                                                                                                                                                                                                                                                                                                                         | <b>Operating System</b>                        |                                                                                                                                                                                                                                                                                                                                                                                                 |
| Supported Media Types              | Multi-purpose Tray:<br>Thin, Plain, Heavy*, Recycled, Coated, Colour, Tracing, Bond, Transparency, Label, Pre-punched, Letterhead, Envelope<br>* SRA3 is unsupported for Coated (257-300gsm) and Heavy (257-300gsm) paper<br>Upper Cassette:<br>Thin, Plain, Recycled, Colour, Heavy, Bond, Transparency, Pre-punched, Letterhead, Envelope*<br>* Envelope Feeder Attachment Kit B (standard) is required.<br>Lower Cassette:<br>Thin, Plain, Heavy, Recycled, Colour, Bond, Transparency, Pre-punched, Letterhead, Envelope*<br>* Envelope Attachment Kit A (standard) is required. |                                                |                                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>Supported media sizes</b>       | Multi-purpose tray:<br>Standard size: SRA3, A3, A4, A4R, A5, A5R, A6R, B4, B5, B5R Custom size: 98.4 x 139.7 mm to 320.0 x 457.2 mm<br>Envelopes: COM10 No.10, Monarch, ISO-C5, DL Envelope custom size: 98.0 x 98.0 mm to 320.0 x 457.2 mm<br>Upper Cassette:<br>Standard size: A4, A5, A5R, A6R, B5 Custom size: 105.0 x 148.0 mm to 297.0 x 215.9 mm<br>Envelope: ISO-C5<br>* Envelope Feeder Attachment Kit B (standard) is required.                                                                                                                                            | <b>COPY SPECIFICATIONS</b>                     |                                                                                                                                                                                                                                                                                                                                                                                                 |
|                                    | Lower Cassette:<br>Standard size: A3, A4, A4R, A5, A5R, A6R, B4, B5, B5R<br>Custom size: 105.0 x 148.0 mm to 304.8 x 457.2 mm<br>Envelope*: COM10 No.10, Monarch, DL<br>* Envelope Attachment Kit A (standard) is required.                                                                                                                                                                                                                                                                                                                                                          |                                                |                                                                                                                                                                                                                                                                                                                                                                                                 |
| Supported media weights            | Multi-purpose tray: 52 to 300 gsm<br>Upper/Lower Cassette: 52 to 256 gsm<br>Duplex: 52 to 220 gsm                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | <b>Copy Speed</b>                              | 1-sided (BW/CL):<br>Up to 26/26 ppm (A4, A5, A5R, A6R), Up to 20/20 ppm (A4R).Up to 15/15 ppm (A3)<br>2-sided (BW/CL):<br>Up to 13/13 ppm (A4, A5R), Up to 10/10 ppm (A4R),<br>Up to 7/7 ppm (A3)<br>(A4, BW/CL): Approx. 7.0 / 8.7 seconds or less<br>600 × 600<br>Up to 999 copies                                                                                                            |
| Warm-Up Time (Quick start mode:ON) | 4 Seconds or Less*<br>*Time from device power on to when copy icon appears and is enabled to operate on the touch panel display<br>From Sleep Mode: 10 Seconds or Less                                                                                                                                                                                                                                                                                                                                                                                                               |                                                | Automatic or Manual (9 Levels)<br>25% - 400% (1% Increments)<br>Preset reduction/enlargement: 25%, 50%, 70%, 100%, 141%, 200%, 400%                                                                                                                                                                                                                                                             |
| Dimensions (W x D x H)             | 565 x 687 x 891 mm                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | <b>Copy Features</b>                           | Preset R/E Ratios by Area, Two-Sided, Density Adjustment, Original Type Selection, Interrupt Mode, Book to Two Pages, Two-sided Original, Sort, Job Build, N on 1, Different Size Originals, Sharpness, Erase Frame, Copy ID Card, Skip Blank Pages, Free Size Original, Colour Mode, Reserved copy, Copy Sample                                                                                |
| Installation Space (W x D)         | 1168 x1116 mm                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                                                |                                                                                                                                                                                                                                                                                                                                                                                                 |
| Weight                             | Approx. 74.7 kg including toner                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | <b>SCAN SPECIFICATIONS</b>                     |                                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>PRINT SPECIFICATIONS</b>        | 10 Seconds or Less*<br>*Time from device power on, until copy ready (not print reservation)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                                                |                                                                                                                                                                                                                                                                                                                                                                                                 |
|                                    | Print Speed                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | <b>Document Feeder Paper Capacity (80 gsm)</b> | Standard: Duplexing Automatic Document Feeder [2-sided to 2-sided]<br>Optional: Platen Cover-Y3<br>Up to 100 sheets                                                                                                                                                                                                                                                                             |
| Print Resolution (dpi)             | 1-sided (BW/CL):<br>Up to 26/26 ppm (A4, A5, A5R,A6R), Up to 20/20 ppm (A4R),Up to 15/15 ppm (A3)<br>2-sided (BW/CL):<br>Up to 26/26 ipm (A4, A5R), Up to 20/20 ipm (A4R),<br>Up to 15/15 ipm (A3)<br>Up to 1200 x1200                                                                                                                                                                                                                                                                                                                                                               |                                                | Platen: Sheet, Book and 3-Dimensional objects<br>Document Feeder media weight :<br>1-sided scanning: 30 to 128 gsm (BW), 64 to 128 gsm (CL)<br>2-sided scanning: 50 to 128 gsm (BW), 64 to 128 gsm (CL)<br>Platen: max. scanning size: 297.0 x 431.8 mm<br>Document Feeder media size:<br>A3, A4, A4R, A5, A5R, B4, B5, B5R, B6<br>Custom size: 128.0 x 139.7 mm to 297.0 x 431.8 mm            |



# TECHNICAL SPECIFICATIONS

# imageRUNNER C3326i

|                                               |                                                                                                                                                                                                                                                                                                        |                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|-----------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Scan Speed</b>                             | DADF (ipm: BW/CL, A4):<br>1-sided Scanning: 70/70 (300 dpi, send),<br>51/42 (600 dpi, copy)<br>2-sided Scanning: 35/35 (300 dpi, send),<br>25.5/25.5 (600 dpi, copy)                                                                                                                                   | <b>SECURITY<br/>SPECIFICATIONS</b>           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| <b>Scan Resolution (dpi)</b>                  | Scan for Copy: up to 600 x 600<br>Scan for Send: (Push,BW) up to 600 x 600,<br>(Pull,BW) up to 600 x 600<br>(Push,CL) up to 300 x 300,<br>(Pull,CL) up to 300 x 300                                                                                                                                    | <b>Authentication and<br/>Access Control</b> | User Authentication (Picture Login, Picture and<br>PIN Login, Username and Password Login,<br>Function Level Login, Mobile Login), Department<br>ID Authentication (Department ID and PIN Login,<br>Function Level Login), uniFLOW Online Express<br>(PIN Login, Picture Login, Picture and PIN Login,<br>Card Login, Card and PIN Login, Username and<br>Password Login, Department ID and PIN Login,<br>Function Level Login), Access Management<br>System (Access Control)                                                                                                                                             |
| <b>Pull Scan Specifications</b>               | Scan for Fax: up to 600 x 600<br>Colour Network ScanGear2. For both TWAIN<br>and WIA. Supported OS: Windows®10/11/Server<br>2012/Server 2012 R2/Server 2016/Server 2019/<br>Server 2022                                                                                                                | <b>Document Security</b>                     | Print Security (Secure Print, Encrypted Secure<br>Print, Forced Hold Printing, uniFLOW Secure<br>Print*), Recieve Data Security (Confidential Fax<br>Inbox Forwarding Received Documents<br>Automatically), Scan Security (Encrypted PDF,<br>Device Signature PDF/XPS, User Signature PDF/<br>XPS*), Send Data Security (Restricted E-mail/<br>File send functions, Confirming FAX number,<br>Allow/Restrict Fax Driver Transmissions, Allow/<br>Restrict Sending from History, S/MIME Support)<br>*Requires optional uniFLOW Online / uniFLOW<br>**Requires optional Universal Send Digital User Signature<br>Kit-C1     |
| <b>Scan Method</b>                            | PushScan, PullScan, Scan to Network, Scan to<br>USB Memory Key, Scan to Mobile device, Scan to<br>cloud-based services (uniFLOW Online/Online<br>Express)                                                                                                                                              | <b>Network Security</b>                      | TLS 1.3, IPsec, IEEE802.1X authentication, SNMP<br>V3.0, WPA3 support, Firewall Functionality (IP/<br>MAC Address Filtering), Dual Network Support<br>(Wired LAN/Wireless LAN, Wired LAN/Wired<br>LAN), Disabling/Enabling (Network Protocols/<br>Applications, Remote UI, USB Interface), G3 FAX<br>separation from LAN, USB Port separation from<br>LAN, Scan and Send -Virus Concerns for E-mail<br>Reception                                                                                                                                                                                                          |
| <b>SEND SPECIFICATIONS</b>                    |                                                                                                                                                                                                                                                                                                        | <b>Device Security</b>                       | Standard Storage Initialize, Job Log Conceal<br>Function, Protecting MFP Software Integrity,<br>Checking MFD Software Integrity & Platform<br>Firmware Resiliency (NIST SP800-193) with<br>Automatic System Recovery (Verify System at<br>Startup, Runtime Intrusion Detection enabled<br>with McAfee Embedded Control),                                                                                                                                                                                                                                                                                                  |
| <b>Destination</b>                            | Standard: E-mail/Internet FAX (SMTP), SMB3.1.1,<br>FTP, WebDAV, Optional: Super G3 FAX                                                                                                                                                                                                                 | <b>Device Management and<br/>Auditing</b>    | Administrator Password, Digital Certificate and<br>Key Management, Audit Log, Cooperating with<br>External Security Audit System (Security<br>Information and Event Management), Security<br>Policy Setting, Remote Management Two-factor<br>Authentication                                                                                                                                                                                                                                                                                                                                                               |
| <b>Address Book</b>                           | LDAP (2,000)/ Local (1,600) /Speed dial (200)                                                                                                                                                                                                                                                          | <b>ENVIRONMENTAL<br/>SPECIFICATIONS</b>      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| <b>Send resolution (dpi)</b>                  | Push: 100 x 100, 150 x 150, 200 x 100 (Normal),<br>200 x 200 (Fine), 200 x 400*(SuperFine), 300 x<br>300, 400 x400*(UltraFine), 600 x 600*<br>Pull: 75 x 75, 100 x 100, 150 x 150, 200 x 200,<br>300 x 300, 400 x 400*, 600 x 600*<br>*Colour mode is black and white only                             | <b>Operating Environment</b>                 | Temperature: 10 to 30 °C<br>Humidity: 20 to 80% RH (Relative Humidity)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>Communication protocol</b>                 | File: FTP (TCP/IP), SMB3.1.1 (TCP/IP), WebDAV<br>Email/iFax: SMTP (send), POP3 (receive)                                                                                                                                                                                                               | <b>Power source</b>                          | 220-240V 50/60Hz 4A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| <b>File Format</b>                            | Standard: TIFF (MMR), JPEG *, PDF (Compact,<br>Searchable, PDF/A-1b, Encrypted), XPS<br>(Compact, Searchable), PDF/XPS (Device<br>Signature, Office Open XML (PowerPoint, Word)<br>Optional: PDF (Trace & Smooth), PDF/XPS (User<br>Signature)<br>*Single page only                                    | <b>Power consumption</b>                     | Maximum: Approx. 1,500 W<br>Standby: Approx. 44 W*<br>Sleep mode: Approx. 2.0W**<br>*Reference value: measured one unit<br>** Wireless LAN power serve mode OFF<br>** Wireless LAN power serve mode ON<br>*** Sleep mode is not available in all circumstances due<br>to certain settings.                                                                                                                                                                                                                                                                                                                                |
| <b>Universal Send Features</b>                | Original Type Selection, Two-sided Original, Book<br>to Two Pages, Different-size Originals, Density<br>Adjustment, Sharpness, Erase Frame, Job Build,<br>Delayed Send, Preview, Job Done Notice, File<br>Name, Subject/Message, Reply-to, E-mail Priority,<br>TX Report, Original Content Orientation | <b>Noise levels (BW/CL)</b>                  | Typical Electricity Consumption (TEC)*:<br>0.32 kWh<br>Note:<br>As per US Energy Star 3.0<br>For detailed information relating to Erp:Lot6/26<br>regulation, please go to: <a href="https://www.canon-europe.com/for_work/lot26/">https://www.canon-europe.com/for_work/lot26/</a><br><u>Sound Power Level (LWA<sub>m</sub>)</u><br>Active (1-sided) : 6.0B* <sup>1</sup> , 0.3B* <sup>1</sup><br><u>Sound Pressure Level (LpA<sub>m</sub>)</u><br>Bystander's position:<br>Active (1-sided) : 46 dB* <sup>1</sup><br>* <sup>1</sup> Reference value: measured only one unit with ISO7779,<br>described with ISO9296:2017 |
| <b>FAX SPECIFICATIONS</b>                     |                                                                                                                                                                                                                                                                                                        | <b>Standards</b>                             | Blue Angel (Applied for)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| <b>Maximum Number of<br/>Connection Lines</b> | 1                                                                                                                                                                                                                                                                                                      | <b>CONSUMABLES</b>                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| <b>Modem Speed</b>                            | Super G3: 33.6 kbps<br>G3: 14.4 kbps                                                                                                                                                                                                                                                                   | <b>Toner Cartridge</b>                       | C-EXV 65 Toner BK/C/M/Y                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| <b>Compression Method</b>                     | MH, MR, MMR, JBIG                                                                                                                                                                                                                                                                                      | <b>Toner Yield</b>                           | (Estimated Yield @ 5% Coverage)<br>C-EXV 65 Toner BK: 17,500 pages<br>C-EXV 65 Toner C/M/Y: 11,000 pages                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| <b>Resolution (dpi)</b>                       | 400 x 400 (Ultrafine), 200 x 400 (Superfine),<br>200 x 200 (Fine), 200 x 100 (Normal)                                                                                                                                                                                                                  |                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| <b>Sending/Receiving Size</b>                 | Sending: A3, A4, A4R, A5* <sup>1</sup> , A5R* <sup>1</sup> , B4, B5* <sup>2</sup> , B5R* <sup>1</sup><br>Receiving: A3, A4, A4R, A5R, B4, B5, B5R<br>* <sup>1</sup> Sent as A4<br>* <sup>2</sup> Sent as B4 short                                                                                      |                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| <b>FAX memory</b>                             | Up to 30,000 pages                                                                                                                                                                                                                                                                                     |                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| <b>Speed dials</b>                            | Max. 200                                                                                                                                                                                                                                                                                               |                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| <b>Group dials/destinations</b>               | Max. 199 dials                                                                                                                                                                                                                                                                                         |                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| <b>Sequential broadcast</b>                   | Max. 256 addresses                                                                                                                                                                                                                                                                                     |                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| <b>Memory backup</b>                          | Yes                                                                                                                                                                                                                                                                                                    |                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| <b>Fax Features</b>                           | Sender's Name (TTI), Direct Send, Delayed Send,<br>Preview, Job Done Notice, TX Report, Interrupt<br>Transmission, Sequential Broadcasting,<br>Password/Subaddress Sending, Confidential<br>Mailbox                                                                                                    |                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| <b>STORE SPECIFICATIONS</b>                   |                                                                                                                                                                                                                                                                                                        |                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| <b>Memory Media</b>                           | Standard: USB Memory                                                                                                                                                                                                                                                                                   |                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |

# TECHNICAL SPECIFICATIONS

# imageRUNNER C3326i

## SOFTWARE AND PRINTER MANAGEMENT

Tracking and reporting  
Remote management  
tools

Scanning software

## PAPER SUPPLY OPTIONS

Cassette Feeding

uniFLOW Online Express  
iW Management Console  
eMaintenance  
Content Delivery System  
ScanGear

Cassette Feeding Unit-AW1:

Paper Capacity: 550 sheets x  
2 (1,100 sheets) (80 gsm)  
Paper Type: Thin, Plain, Recycled, Colour, Heavy,  
Bond, Transparency, Pre-punched, Letterhead  
Paper Size: A3, A4, A4R, A5, A5R, A6R, B4, B5,  
B5R,  
Custom Size: 105.0 x 148.0 mm to  
304.8 x 457.2 mm  
Paper Weight: 52 to 256 gsm  
Power Source: From the Main Unit  
Dimensions (W x D x H): 565 x 635 x 248 mm  
Weight: Approx. 16.0 kg

## OUTPUT OPTIONS

Inner Tray

Inner 2way Tray-M1:

Tray Capacity (80 gsm paper)  
Upper tray: SRA3, A3, A4, A4R, A5, A5R, A6R,  
B4, B5, B5R: 100 sheets  
Lower tray (standard tray): A4, A5, A5R, A6R, B5,  
B5R: up to 250 sheets  
SRA3, A3, A4R, B4: up to 100 sheets  
Paper Weight: 52 to 300 gsm  
Dimensions (W x D x H): 428 x 405 x 88 mm  
Weight: Approx. 0.7 kg

Copy Tray

Copy Tray-T2:  
Capacity (with 80gsm paper):  
A4, A5R, B5, B5R: 100 sheets  
A3, A4R, B4: 75 sheets  
Dimensions (W x D x H): 442 x 373 x 176 mm  
(attached to the main unit, when the extension  
tray is extended) Weight: Approx. 0.5kg

## Inner Finisher

Inner Finisher-L1:

Tray Capacity (with 80gsm paper):  
Upper Tray: A4, A5, A5R, B5: approx. 50 sheets  
SRA3, A3, A4R, A6R, B4, B5R: approx.  
50 sheets  
Lower Tray: A4, A5, A5R, B5: approx. 500 sheets  
SRA3, A3, A4R, B4, B5R: 250 sheets  
A6R: 30 sheets  
Envelope: 10 sheets  
Paper Weight: 52 to 300 gsm  
Staple Position: Corner, Double  
Staple Capacity:  
A4, B5: 50 sheets (52 to 90 gsm)  
A4R : 40 sheets (52 to 90 gsm)  
A3, B4: 30 sheets (52 to 90 gsm)  
Eco Staple:  
A3, A4, B4, B5: 10 sheets (52 to 64 gsm)  
8 sheets (65 to 81.4 gsm)  
6 sheets (82 to 105 gsm)  
Staple On Demand: approx. 40 sheets (80 gsm)  
Dimensions (W x D x H): 575 x 525 x 225 mm  
(when the extension tray is extended)  
Weight: Approx. 9.1 kg

## Inner 2/4 Hole Puncher

Inner 2/4 Hole Puncher-D1 (Requires Inner  
Finisher-L1):  
Two or Four Holes  
Acceptable Punch Paper Weight: 52 to 300 gsm  
Acceptable Punch Paper Size:  
Two holes: A3, A4, A4R, A5, B4, B5, B5R,  
Four holes: A3, A4

## Inner 4 Hole Puncher

Inner 4 Hole Puncher-D1 (Requires Inner  
Finisher-L1):  
Four Holes  
Acceptable Punch Paper Weight: 52 to 300 gsm  
Acceptable Punch Paper Size: A3, A4, A4R, A5,  
B4, B5, B5R

## HARDWARE ACCESSORIES

Card Readers

Others

IC Card Reader Attachment-B4  
Platen Cover-Y3

## SYSTEM AND CONTROLLER OPTIONS

Print Accessories

PCL International Font Set-A1  
PS Printer Kit-CS1

Data Storage

Optional Data Storage Kit-A1

Send Options

Universal Send Trace & Smooth PDF Kit-A1  
Universal Send Digital User Signature Kit-C1

Barcode Printing

Barcode Printing Kit-D1

System Accessories

Copy Control Interface Kit-D1

Fax Accessories

Super G3 FAX Board-BN1  
Remote Fax Kit-A1

## OTHER OPTIONS

Accessibility Accessories

ADF Access Handle-A1  
Media Adjustment kit-A1

Staple Cartridges

Staple-P1

## Software & Solutions



## Compatibility



Canon Inc.  
canon.com

Canon Europe  
canon-europe.com

English edition  
© Canon Europa N.V., 2023

