



Model: WR1200

AC1200

Dual Band Smart Wi-Fi Router





Features

- AC1200 Dual Band Wi-Fi Router
- 2.4GHz 300Mbps + 5GHz 867Mbps Wi-Fi Speeds
- 5dBi High Gain Antennas for large home coverage
- Built-in Firewall protect your home network
- Guest network protect your privacy
- Compatible with IPv6
- Easy wireless security encryption at a push of WPS button

Specifications

Product Name	AC1200 Dual Band Smart Wi-Fi Router
Product Model	WR1200
Standard	2.4GHz: IEEE802.11n, IEEE802.11g, IEEE 802.11b
	5.0GHz: 802.11ac, IEEE 802.11n, IEEE 802.11a
	IEEE802.3, IEEE802.3u, IEEE802.3ab
Interface	LAN 4 * 10/100/ Auto MDI/MDIX RJ45 port
	WAN 1 * 10/100/ Auto MDI/MDIX RJ45 port
Frequency Range	2.4GHz/5GHz
Wireless Speed	2.4G: 300Mbps, 5G: 867Mbps
Flash	64Mbit (8MB)
DDR	512Mbit (64MB)
Power	12V/1A
Spread Spectrum	DSSS
Modulation	BPSK, QPSK, CCK and OFDM (BPSK/QPSK/16-QAM/64-QAM)
Antenna	4 x 5dBi Fixed Antennas
Wireless Security	64/128-bits WEP, WPA-PSK/WPA2-PSK, WPA/WPA2
VPN Client	PPTP/L2TP/OpenVPN/WireGuard
CWMP Protocol	TR069 / TR098 / TR111 / TR181
ACS Server Compatibility	GenieACS, Open ACS
Working Mode	Wi-Fi Router/ Wireless Access Point/Wi-Fi Extender/ WISP



Specifications

Management	Access Control, Local Management, Remote Management, Wake on LAN
TTL	Extend/Spoof/Custom
DNS	Cloudflare/Google/NextDNS/Custom
Internet Protocols	IPv4/IPv6
IPv6	Relay
	Dynamic(SLAAC/DHCPv6)
	Static (Fixed IP)
	Passthrough
	MAP-E (Dual-stack)
	DS-Lite (Dual-stack)
Environment	Operating Temperature: 0°C~40°C (32°F~104°F)
	Operating Humidity: 10%~90%RH (non-condensing)