

Reolink P430 - 4K Outdoor Camera, PoE, 5X Optical Zoom, Person/Vehicle/Animal Detection, Color Night Vision

Brand : Reolink

Product code: 6975253983377

Product name : Reolink P430 - 4K Outdoor Camera, PoE, 5X Optical Zoom, Person/Vehicle/Animal Detection, Color Night Vision



- 4K Smart PoE Camera with Spotlight & Color Night Vision
- 4K Ultra HD @ 25FPS
- 2.7-13.5mm lens @ 5X Optical Zoom
- Person/Vehicle/Pet Detection
- Power over Ethernet
- IP66 Waterproof
- 2-Way Audio

1/2.8" CMOS, 8 MPix, 10M/100Mbps RJ45, 80 x 72 x 238mm, 838g

Reolink P430 - 4K Outdoor Camera, PoE, 5X Optical Zoom, Person/Vehicle/Animal Detection, Color Night Vision. Type: IP security camera, Placement supported: Indoor & outdoor, Connectivity technology:

Wired. Mounting type: Wall, Product colour: White, Form factor: Bullet. Lens viewing angle, horizontal: 31 - 100°, Lens viewing angle, vertical: 17 - 55°. Sensor type: CMOS, Optical sensor size: 25.4 / 2.8 mm (1 / 2.8"). Optical zoom: 5x, Focal length range: 2.7 - 13.5 mm



Performance		Network	
Type *	IP security camera	Wi-Fi *	✗
Placement supported *	Indoor & outdoor	Bluetooth *	✗
Connectivity technology *	Wired	Number of users	20 user(s)
Virtual assistant	Google Assistant	User access level	Administrator, User
Design		Storage	
Form factor *	Bullet	Built-in HDD *	✗
Mounting type *	Wall	Card reader integrated	✓
Product colour *	White	Compatible memory cards	MicroSD (TransFlash)
LED indicators	✓	Maximum memory card size	256 GB
International Protection (IP) code	IP67	Ports & interfaces	
Camera		Ethernet LAN (RJ-45) ports	1
Lens viewing angle, horizontal	31 - 100°	DC-in jack	✓
Lens viewing angle, vertical	17 - 55°	Management features	
Image sensor		Reset button	✓
Number of sensors	1	Power	
Optical sensor size	25.4 / 2.8 mm (1 / 2.8")	Power source type *	DC, PoE
Sensor type *	CMOS	Power consumption (max)	12 W
Lens system		DC output voltage	12, 48
Optical zoom	5x	DC output current	1 A
Maximum aperture number	1.6	Operational conditions	
Focal length range	2.7 - 13.5 mm	Operating temperature (T-T)	-10 - 50 °C
Night vision		Operating relative humidity (H-H)	10 - 90%
Night vision *	✓	System requirements	
Night vision distance	30 m	Windows operating systems supported	✓
LED type	IR	Mac operating systems supported	✓
Number of illumination LEDs	4	Mobile operating systems supported	Android, iOS
Infra-red wavelength	850 nm	Weight & dimensions	
Video		Width	80 mm
Maximum resolution *	3840 x 2160 pixels	Depth	72 mm
Total megapixels *	8 MP		

Video		Weight & dimensions	
Video compression formats	H.265	Height	238 mm
Frame rate	25 fps	Weight	838 g
Audio		Package width	120 mm
Built-in speaker(s)	✓	Package depth	290 mm
Audio system	2-way	Package height	140 mm
Built-in microphone	✓	Package weight	1.13 kg
Bit rate range	64 - 8192 Kbit/s	Packaging content	
Network		Number of cameras *	1
Ethernet LAN *	✓	Cables included	LAN (RJ-45)
Ethernet interface type	Fast Ethernet	Mounting kit	✓
Networking standards	IEEE 802.3af	Screws included	✓
Supported network protocols	HTTPS, SSL, TCP/IP, UDP, HTTP, IPv4, UPnP, RTSP, RTMP, ONVIF, SMTP, NTP, DHCP, DNS, DDNS, FTP, P2P		



6975253983377

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 11-MAY-2024. Prints or copies of Information are only valid on the printed Publication date