



BE-9875

ERGO™

**Slotted/Phillips/Pozidriv/TORX®
Screwdriver Set with Rubber Grip -
13 Pcs**



PRODUCT DETAILS

- Includes 13 slotted/Phillips/Pozidriv/TORX® screwdrivers
- BE-8040, BE-8150, BE-8155, BE-8621, BE-8811, BE-8821, BE-8910, BE-8915, BE-8920, BE-8925, BE-8010S, BE-8230S, BE-8810S
- Screwdriver developed according to the scientific ERGO™ process
- Phosphate finished tip for higher accuracy
- three-component handle for maximum user comfort, soft material with ridged surface provides superior grip and greater force transmission
- Maximum comfort with minimum effort thanks to an ergonomic design
- Easy to choose the right tip with the colour-coded handle and permanent symbol on the domed end
- Flat face to prevent rolling away
- Integrated hanging hole
- High-performance alloy steel blade with chrome plating, entirely hardened for high protection against corrosion, long life tool
- In cardboard box



PRODUCT ATTRIBUTES

Product			
BE-9875	13	50 x 275 x 308 mm	975 g

Follow the Fish!



Contact: info@bahco.com / www.bahco.com

SET CONTENT



**ERGO™ Slotted Straight Tipped
Screwdriver with Rubber Grip 0.8 mm
x 4 mm x 100 mm**
BE-8040



**ERGO™ Slotted Flat Tipped
Screwdriver with Rubber Grip 1 mm x
5.5 mm x 100 mm**
BE-8150



**ERGO™ Slotted Flat Tipped
Screwdriver with Rubber Grip 1.2 mm
x 6.5 mm x 125 mm**
BE-8155



**ERGO™ Phillips Screwdriver with
Rubber Grip PH2 x 100 mm 27 mm**
BE-8621





**ERGO™ Pozidriv Screwdriver with
Rubber Grip PZ1 x 20 x 75 mm**
BE-8811



**ERGO™ Pozidriv Screwdriver with
Rubber Grip PZ2 x 27 x 100 mm**
BE-8821



**ERGO™ TORX® Screwdriver with
Rubber Grip T10 x 75 mm**
BE-8910



**ERGO™ TORX® Screwdriver with
Rubber Grip T15 x 100 mm**
BE-8915





**ERGO™ TORX® Screwdriver with
Rubber Grip T20 x 100 mm
BE-8920**



**ERGO™ TORX® Screwdriver with
Rubber Grip T25 x 125 mm
BE-8925**



**Bahco BE-8010S - ERGO™ VDE
Insulated Slotted Screwdriver with 3-
Component Handle 0.4 mm x 2.5 mm x
75 mm
BE-8010S**



**ERGO™ VDE Insulated Slotted
Screwdriver with 3-Component
Handle 0.6 mm x 3.5 mm x 100 mm
BE-8230S**

