

Samsung QB75C Digital signage flat panel 190.5 cm (75") LCD Wi-Fi 350 cd/m² 4K Ultra HD Black Built-in processor Tizen 16/7

Brand : Samsung

Product family: QBC

Product code:
LH75QBCEBGCXEN

Product name : QB75C



- Ultra Slim Depth
- Even bezel
- Centered VESA Holes

75", VA, 4K UHD (3840 x 2160), 350 nit, 4000:1, 178/178, 8 ms, Wi-Fi, Bluetooth, RJ-45, HDCP, HDMI, RS232, AC 100-240V, 50/60Hz, 1682.3 x 960.4 x 28.5 mm, 33.4 kg

Samsung QB75C. Product design: Digital signage flat panel. Display diagonal: 190.5 cm (75"), Display technology: LCD, Display resolution: 3840 x 2160 pixels, Display brightness: 350 cd/m², HD type: 4K Ultra HD. Wi-Fi. Operating hours (hours/days): 16/7. Operating system installed: Tizen. Product colour: Black

Display		Performance	
Panel type	VA	Operating hours (hours/days)	16/7
Display diagonal *	190.5 cm (75")	HDCP	✓
Display technology *	LCD	HDCP version	2.2
Display resolution *	3840 x 2160 pixels	Power	
Display brightness *	350 cd/m²	Power consumption (typical) *	214.5 W
HD type *	4K Ultra HD	Power consumption (sleep)	0.5 W
Touchscreen *	✗	AC input voltage	100-240 V
Response time	8 ms	AC input frequency	50-60 Hz
Contrast ratio (typical)	4000:1	Energy efficiency scale	A to G
Dynamic contrast ratio marketing name	Mega Contrast	Computer system	
Viewing angle, horizontal	178°	Computer system *	✓
Viewing angle, vertical	178°	Computer system type	System on Chip (SoC)
Pixel pitch	0.429 x 0.429 mm	Built-in processor *	✓
Horizontal scan range	30 - 81 kHz	Operating system installed	Tizen
Vertical scan range	48 - 75 Hz	Operating system version	7.0
Haze rate	2%	Weight & dimensions	
Pixel frequency (max)	594 MHz	Display width	1682.3 mm
RGB colour space	NTSC	Display depth	28.5 mm
Ports & interfaces		Display height	960.4 mm
HDMI ports quantity *	3	Display weight	33.4 kg
HDMI version	2.0	Packaging data	
HDMI input ports quantity	3	Package width	1839 mm
DVI port *	✗	Package depth	180 mm
USB port *	✓	Package height	1113 mm
USB ports quantity	2	Package weight	41.5 kg
Ethernet LAN (RJ-45) ports	1	Packaging content	
RS-232 interface	✓	Stand included	✗
Infrared data port	✓	Operational conditions	
Remote (IR) input	1	Operating temperature (T-T)	0 - 40 °C
Design		Operating relative humidity (H-H)	10 - 80%
Product design *	Digital signage flat panel	Certificates	
Placement supported *	Indoor	Certification	Class B Class B60950-1, 62368-1
Product colour *	Black		

Design		Network	
Screen shape	Flat	Ethernet LAN *	✓
VESA mounting *	✓	Wi-Fi *	✓
Panel mounting interface	400 x 400 mm	Technical details	
Bezel width (bottom)	1.34 cm	Audio out (mini jack)	1
Bezel width (side)	1.34 cm	Other features	
Bezel width (top)	1.34 cm	Bluetooth	✓
Bezel colour	Charcoal Black	Flash memory	8000 MB
Mounting type	Wall	RS-232 input ports	1
Performance		RS-232 output ports	1
Purpose *	Universal	RJ-45 input ports	1
		Optional features	WMN-B50SC STN-L6585C



8806094973952



8592978512361

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.