

Philips 242B9TL/00 computer monitor 60.5 cm (23.8") 1920 x 1080 pixels Full HD LCD Touchscreen Black

Brand : Philips

Product code: 242B9TL/00

Product name : 242B9TL/00



Monitor 242B9TL LCD monitor with SmoothTouch

Philips 242B9TL/00 computer monitor 60.5 cm (23.8") 1920 x 1080 pixels Full HD LCD Touchscreen Black:

A sturdy, water and dust resistant, anti-glare touch screen monitor for flexible use anywhere, with articulating stand to fit angles you need. Offering simple and intuitive use across applications, greatly boosts up productivity.

Philips 242B9TL/00. Display diagonal: 60.5 cm (23.8"), Display resolution: 1920 x 1080 pixels, HD type: Full HD, Display technology: LCD, Response time: 5 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in speaker(s). VESA mounting, Height adjustment. Product colour: Black



Display		Ergonomics	
Display diagonal *	60.5 cm (23.8")	On Screen Display (OSD) languages	Simplified Chinese, Traditional Chinese, Czech, German, Dutch, English, Spanish, Finnish, French, Greek, Hungarian, Italian, Japanese, Korean, Polish, Portuguese, Russian, Swedish, Turkish, Ukrainian
Display resolution *	1920 x 1080 pixels		
HD type *	Full HD		
Native aspect ratio *	16:9		
Display technology *	LCD		
Panel type *	IPS	Palm rejection area	30 x 30 mm
Backlight type	W-LED	Plug and Play	✓
Touchscreen *	✓	LED indicators	Operation, Stand-by
Touchscreen technology	Projected capacitive system	Power	
Touch technology	Multi-touch	Energy efficiency class (SDR) *	E
Number of simultaneous touchpoints	10	Energy consumption (SDR) per 1000 hours *	18 kWh
Display brightness (typical)	250 cd/m ²	Power consumption (typical) *	15.68 W
Display brightness	250 cd/m ²	Power consumption (standby) *	0.5 W
Response time *	5 ms	Power consumption (off)	0.3 W
Screen shape *	Flat	Power consumption (PowerSave)	11.5 W
Aspect ratio	16:9	AC input voltage	100 - 240 V
Contrast ratio (typical) *	1000:1	AC input frequency	50 - 60 Hz
Contrast ratio (dynamic)	50000000:1	Power supply type	External
Dynamic contrast ratio marketing name	SmartContrast	Energy efficiency scale	A to G
Maximum refresh rate *	60 Hz	Operational conditions	
Viewing angle, horizontal	178°	Operating temperature (T-T)	0 - 40 °C
Viewing angle, vertical	178°	Storage temperature (T-T)	-20 - 60 °C
Pixel pitch	0.275 x 0.275 mm	Operating relative humidity (H-H)	20 - 80%
Pixel density	93 ppi	Operating altitude	0 - 3658 m
Horizontal scan range	30 - 85 kHz	Non-operating altitude	0 - 12192 m
Vertical scan range	48 - 75 Hz	Weight & dimensions	
Viewable size, horizontal	52.7 cm	Width (with stand)	554 mm
Viewable size, vertical	29.6 cm	Depth (with stand)	227 mm
Digital horizontal frequency	30 - 85 kHz	Height (with stand)	413 mm
Digital vertical frequency	48 - 75 Hz	Weight (with stand)	8.15 kg
Display diagonal (metric)	60.5 cm	Width (without stand)	554 mm
DDC/CI	✓	Depth (without stand)	50 mm
Haze rate	5%	Height (without stand)	338 mm
Surface hardness	7H	Weight (without stand)	4.86 kg
Colour gamut standard	sRGB	Packaging data	
Colour gamut	72%	Package width	620 mm

Display		Packaging data	
Display sRGB	✓	Package depth	168 mm
Performance		Package height	433 mm
NVIDIA G-SYNC *	✗	Package weight	11.1 kg
AMD FreeSync *	✗	Packaging content	
Component video sync	Separate Sync, Sync-on-green (SOG)	Stand included	✓
Flicker-free technology	✓	Cables included	VGA, HDMI, DisplayPort, USB Type-A to USB Type-B, Audio (3.5mm), AC
Low Blue Light technology	✓	Manual	✓
Windows operating systems supported	Windows 10, Windows 7, Windows 8, Windows 8.1	Bundled software	SmartControl
Multimedia		Sustainability	
Number of speakers	2	Sustainability certificates	ENERGY STAR, TCO
RMS rated power	2 W	Doesn't contain	PVC/BFR, Mercury
Built-in speaker(s) *	✓	Other features	
Design		International Protection (IP) code	IP65
Product colour *	Black	Display viewable area (HxV)	527 x 296.5 mm
Front bezel colour	Black	Picture enhancement	SmartImage
Feet colour	Black	Regulatory Approvals	CB; CE Mark; FCC Class B; SEMKO; UKRAINIAN; ICES-003; TUV/GS; TUV Ergo; CU-EAC; EAEU RoHS; cETLus
Ports & interfaces		Mobile operating systems supported	Android 7.1, Android 7.0, Android 6.0, Android 5.0, Android 4.4
USB Touch port	✓	Heavy metals free	Hg (mercury)
VGA (D-Sub) ports quantity	1	Folding angle	70°
HDMI ports quantity	1	Touch method	Stylus, Finger, Glove
HDMI version	1.4	EasyRead mode	✓
DisplayPorts quantity	1	Compliance certificates	RoHS, WEEE
DisplayPort version	1.2	Mean time between failures (MTBF)	70000 h
Headphone out *	✓	Supplied AC adapter type	1920 x 1080 @ 60 Hz
PC Audio in	✓	Certification	CB, CE Mark, FCC Class B, SEMKO, UKRAINIAN, ICES-003, TUV/GS, TUV Ergo, CU-EAC, EAEU RoHS, cETLus
Ergonomics		Recycling data	
VESA mounting *	✓	Recyclable packaging material	100%
Panel mounting interface	100 x 100 mm	Logistics data	
Cable lock slot *	✓	Harmonized System (HS) code	85285210
Cable lock slot type	Kensington		
Height adjustment *	✓		
Adjustable height (max)	7.5 cm		
Tilt angle range	-5 - 90°		



8712581771171

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.