

Ernitec 0070-24222-AC computer monitor 55.9 cm (22") 1920 x 1080 pixels Full HD LED Black

Brand : Ernitec

Product code: 0070-24222-AC

Product name : 0070-24222-AC

- 2 BNC input + 1 BNC output

- EU + UK Power cord included

22" 24/7 Full-HD Surveillance monitor for 24/7 use. 1x HDMI 2.0, 1x VGA, 2x BNC inputs. 1x BNC output, 2x Speakers

Ernitec 0070-24222-AC. Display diagonal: 55.9 cm (22"), Display resolution: 1920 x 1080 pixels, HD type: Full HD, Display technology: LED, Response time: 5 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in speaker(s). VESA mounting. Product colour: Black



Display		Ergonomics	
Display diagonal *	55.9 cm (22")	VESA mounting *	✓
Display resolution *	1920 x 1080 pixels	Panel mounting interface	100 x 100 mm
HD type *	Full HD	Power	
Native aspect ratio *	16:9	Energy efficiency class (SDR) *	E
Display technology *	LED	Energy efficiency class (HDR) *	Not available
Panel type *	TFT	Energy consumption (SDR) per 1000 hours *	13.4 kWh
Touchscreen *	✗	Power consumption (standby) *	0.3 W
Display brightness (typical)	250 cd/m²	Power consumption (average)	25 W
Response time *	5 ms	Power supply type	Internal
Screen shape *	Flat	Packaging data	
Contrast ratio (typical) *	10000:1	Package width	550 mm
Viewing angle, horizontal	178°	Package depth	108 mm
Viewing angle, vertical	178°	Package height	413 mm
Viewable size, horizontal	47.7 cm	Package weight	4.5 kg
Viewable size, vertical	26.8 cm	Packaging content	
Display diagonal (metric)	55 cm	Stand included	✓
Multimedia		Cables included	Power
Number of speakers	2	Power adapter included	✓
RMS rated power	6 W	Screws included	✓
Built-in speaker(s) *	✓	Quick start guide	✓
Design		Other features	
Market positioning *	Industrial	Comb filter	3D
Product colour *	Black	Picture enhancement	DNle digital image processing
Ports & interfaces		Weight	3.5 kg
USB Type-A downstream ports quantity	1	Height	303 mm
VGA (D-Sub) ports quantity	1	Width	505 mm
HDMI *	✓	Depth	48 mm
HDMI ports quantity	1	Mean time between failures (MTBF)	50000 h
HDMI version	2.0		
Audio input	✓		
Audio output	✓		

Ports & interfaces

BNC input ports	1
-----------------	---



5715063068212

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.