

Philips 5000 series 27E1N5600HE/00 computer monitor 68.6 cm (27") 2560 x 1440 pixels Quad HD LCD Black

Brand : Philips

Product family: 5000 series

Product code:
27E1N5600HE/00

Product name :
27E1N5600HE/00



Monitor 27E1N5600HE LCD monitor

Philips 5000 series 27E1N5600HE/00 computer monitor 68.6 cm (27") 2560 x 1440 pixels Quad HD LCD Black:

This Philips monitor is designed for the remote work environment. The integrated 5MP webcam delivers sharp images, and noise cancelling mic helps people hear you loud and clear.

Philips 5000 series 27E1N5600HE/00. Display diagonal: 68.6 cm (27"), Display resolution: 2560 x 1440 pixels, HD type: Quad HD, Display technology: LCD, Display surface: Matt, Response time: 4 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in speaker(s). Built-in USB hub, USB hub version: 3.2 Gen 1 (3.1 Gen 1). VESA mounting, Height adjustment. Product colour: Black



Display		Ergonomics	
Display diagonal *	68.6 cm (27")	Panel mounting interface	100 x 100 mm
Display resolution *	2560 x 1440 pixels	Cable lock slot *	✓
HD type *	Quad HD	Cable lock slot type	Kensington
Native aspect ratio *	16:9	Height adjustment *	✓
Display technology *	LCD	Adjustable height (max)	13 cm
Panel type *	IPS	Pivot	✓
Backlight type	W-LED	Pivot angle	-90 - 90°
Touchscreen *	✗	Tilt angle range	-5 - 20°
Display brightness (typical)	300 cd/m²	On Screen Display (OSD)	✓
Response time *	4 ms		
Display surface	Matt		
Anti-glare screen	✓	On Screen Display (OSD) languages	Simplified Chinese, Traditional Chinese, Czech, German, Dutch, English, Spanish, Finnish, French, Greek, Hungarian, Italian, Japanese, Korean, Polish, Portuguese, Russian, Swedish, Turkish, Ukrainian
Screen shape *	Flat		
Aspect ratio	16:9		
Contrast ratio (typical) *	1000:1	Number of OSD languages	21
Dynamic contrast ratio marketing name	Mega Infinity DCR	Plug and Play	✓
Maximum refresh rate *	75 Hz	LED indicators	Operation, Stand-by
Viewing angle, horizontal	178°		
Viewing angle, vertical	178°		
Display number of colours *	16.7 million colours		
Response time (fast)	1 ms		
Pixel pitch	0.2331 x 0.2331 mm		
Pixel density	108.79 ppi		
Horizontal scan range	30 - 114 kHz		
Vertical scan range	48 - 75 Hz		
Viewable size, horizontal	59.7 cm		
Viewable size, vertical	33.6 cm		
Display diagonal (metric)	68.6 cm		

Display		Power	
DDC/CI	✓	Energy efficiency scale	A to G
Haze rate	25%	Operational conditions	
Surface hardness	3H	Operating temperature (T-T)	0 - 40 °C
Colour gamut standard	sRGB	Storage temperature (T-T)	-20 - 60 °C
sRGB coverage (typical)	114.18%	Operating relative humidity (H-H)	20 - 80%
NTSC coverage (typical)	102.02%	Operating altitude	0 - 3658 m
Display sRGB	✓	Non-operating altitude	3658 - 12192 m
Performance		Weight & dimensions	
NVIDIA G-SYNC *	✗	Width (with stand)	614 mm
AMD FreeSync *	✗	Depth (with stand)	212 mm
Fast charging	✓	Height (with stand)	524 mm
Fast charging technology	Power Delivery	Weight (with stand)	6.57 kg
VESA Adaptive Sync support	✓	Width (without stand)	614 mm
Component video sync	Separate Sync	Depth (without stand)	52 mm
Flicker-free technology	✓	Height (without stand)	379 mm
Low Blue Light technology	✓	Weight (without stand)	4.7 kg
Multimedia		Packaging data	
Number of speakers	2	Package width	780 mm
RMS rated power	10 W	Package depth	186 mm
Built-in speaker(s) *	✓	Package height	525 mm
Megapixel (approx.)	5 MP	Package weight	10.7 kg
Built-in microphone	✓	Packaging content	
Built-in camera *	✓	Stand included	✓
Design		Cables included	HDMI, USB Type-C, AC
Market positioning *	Home	Manual	✓
Product colour *	Black	Sustainability	
Ports & interfaces		Sustainability compliance	✓
Built-in USB hub *	✓	Doesn't contain	Mercury, PVC/BFR
USB hub version	3.2 Gen 1 (3.1 Gen 1)	Other features	
USB upstream port type	USB Type-C	Compatible operating systems	Mac OS X Windows 10 / 8.1 / 8 / 7
Number of upstream ports	1	USB Power Delivery revision	3.0
Number of USB Type-C upstream ports quantity	1	Exterior finish type	Textured
USB Type-A downstream ports quantity	4	Picture enhancement	SmartImage game
USB Type-C DisplayPort Alternate Mode	✓	Regulatory Approvals	CB; CE Mark; CU-EAC; EAEU RoHS; FCC Class B; ICES-003; TUV/ISO9241-307; TUV-BAUART
USB Power Delivery (USB PD)	✓	EasyRead mode	✓
USB Power Delivery up to	65 W	LowBlue mode	✓
HDMI *	✓	Energy efficiency class (old)	G
HDMI ports quantity	1	Weight	4.7 kg
HDMI version	1.4	Height	379 mm
DisplayPorts quantity	1	Width	614 mm
DisplayPort version	1.2	Depth	52 mm
Audio output	✓	Compliance certificates	RoHS
HDCP	✓	Mean time between failures (MTBF)	50000 h
HDCP version	1.4	Certification	CB, CE Mark, CU-EAC, EAEU RoHS, FCC Class B, ICES-003, TUV/ISO9241-307, TUV-BAUART
Ergonomics		Recycling data	
VESA mounting *	✓	Recyclable packaging material	100%



8712581783426

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.