

Ernitec 0070-07965 security camera Covert IP security camera Indoor & outdoor 4000 x 3000 pixels Ceiling/wall



Brand : Ernitec

Product code: 0070-07965

Product name : 0070-07965

- 1/1.7" Sony Progressive CMOS
- 4K Ultra HD 4000 x 3000 @ 20fps @ 12MP
- 360° / 180° Panoramic Views
- Edge De-warping
- Digital PTZ, Quad View
- Built-in IR LED illumination
- OnVif
- PoE (IEEE802.3af) / 12V DC
- IP66, IK10
- 5 year Warranty

Saturn 12MP Fisheye Camera with 1.65mm Lens & IR 5m, PoE, IP66, IK10 - NDAA

[Ernitec 0070-07965 security camera Covert IP security camera Indoor & outdoor 4000 x 3000 pixels Ceiling/wall:](#)

Saturn PX360-V2

The new and improved Saturn PX360 can deliver a maximum of 12MP which equates to a massive (4000x3000) @20fps. At 4K (3840x2160) the frame rate can increase to 30fps. The maximum frame rate you can achieve is 60fps at 1080 resolution.

4K allows you to capture 4 times larger the amount of viewable image.

Having 4K combined with the PX360 gives you an unprecedented quality in the camera thus giving you superior appearance when viewing in ePTZ mode.

With 4 streams at your disposal and only 117mm in diameter, this PX360 camera punches well above its weight for its size.

Performance		Network	
Type *	IP security camera	Ethernet LAN *	✓
Placement supported *	Indoor & outdoor	Ethernet interface type	Gigabit Ethernet
Connectivity technology *	Wired	Supported network protocols	IPv4/v6, TCP/IP, UDP, RTP, STPS, HTTP, HTTPS, ICMP, FTP, SMTP, DHCP, PPPoE, Upnp, IGMP, SNMP, QoS
Wide Dynamic Range (WDR)	✓		
Day/night mode	✓		
Infrared (IR) cut-off filter	✓	Wi-Fi *	✗
Design		Bluetooth *	✗
Form factor *	Covert	Quality of Service (QoS) support	✓
Mounting type *	Ceiling/wall	Works with Apple HomeKit	✗
Product colour *	Black, White	Works with the Google Assistant	✗
Protection features	Vandal proof	Storage	
International Protection (IP) code	IP66	Built-in HDD *	✗
IK code	IK10	Built-in SSD	✗
Weatherproof	✓	Ports & interfaces	
Camera		Ethernet LAN (RJ-45) ports	1
Minimum illumination	0.04 lx	Microphone in	✓
Field of view (FOV) angle	360°	Interface	RJ-45
Camera shutter speed	1~1/10.000 s	Security	
Image sensor		Password protection	✓
Optical sensor size	25.4 / 1.7 mm (1 / 1.7")	Password protection type	User
Progressive scan	✓	Video motion detection	✓
Sensor type *	CMOS	Active tampering alarm	✓
Lens system		Privacy protection	✓
Number of lenses *	1	Heartbeat	✓

Night vision		Management features	
Night vision *	✓	Web-based management	✓
Night vision distance	5 m	Reset button	✓
LED type	IR	Power	
Number of illumination LEDs	4	Power source type *	DC
Infra-red wavelength	850 nm	Power consumption (max)	10 W
Video		Power consumption (Power over Ethernet (PoE))	9 W
Maximum resolution *	4000 x 3000 pixels	Operational conditions	
Total megapixels *	12 MP	Operating temperature (T-T)	-10 - 50 °C
Megapixels per lens	12 MP	Operating relative humidity (H-H)	10 - 90%
Video compression formats	H.264	Weight & dimensions	
Frame rate	20 fps	Width	140 mm
Video streaming	✓	Depth	140 mm
Noise reduction	✓	Height	40 mm
Noise reduction technology	3D noise reduction	Weight	700 g
3D NR (Noise Reduction)	✓	Packaging data	
Full HD	✓	Package width	180 mm
Image quality adjustment	Brightness	Package depth	180 mm
Privacy masking	✓	Package height	110 mm
Smart IR	✓	Package weight	1 kg
Audio		Packaging content	
Built-in speaker(s)	✓	Number of cameras *	1
Built-in microphone	✓	Quick installation guide	✓



5706998973795

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.