

Ernitec 0070-24228-AC computer monitor 71.1 cm (28") 3840 x 2160 pixels 4K Ultra HD LED Black

Brand : Ernitec

Product code: 0070-24228-AC

Product name : 0070-24228-AC

- 24/7

- Security monitor
- Desktop monitor
- EU + UK Power cord included
- HDMI cable included

28" 24/7 4K UHD Surveillance monitor. 3x HDMI 2.0, 1x Display Port, 2x Speakers

Ernitec 0070-24228-AC computer monitor 71.1 cm (28") 3840 x 2160 pixels 4K Ultra HD LED Black:

DISPLAY CHARACTERISTICS

- 4K HD solution
- Industrial-grade LED screen
- Designed for CCTV
- High brightness, high contrast, high definition
- Adapts to the latest 3D digital filtering and 3D digital noise reduction technology
- Picture fast response
- 178° wide viewing angle
- High fidelity digital processing, brilliant and vivid video
- 24/7 working status, working continuously for 5 years
- Metal chassis design, anti-static, anti-magnetic field, anti-interference, no radiation
- Menu with convenient Controller

Not EDID compatible



Display		Power	
Display diagonal *	71.1 cm (28")	Energy efficiency class (SDR) *	F
Display resolution *	3840 x 2160 pixels	Energy efficiency class (HDR) *	F
HD type *	4K Ultra HD	Energy consumption (SDR) per 1000 hours *	27.5 kWh
Native aspect ratio *	16:9	Energy consumption (HDR) per 1000 hours *	28.3 kWh
Display technology *	LED	Power consumption (standby) *	0.3 W
Panel type *	TFT	Power consumption (average)	40 W
Display brightness (typical)	350 cd/m²	AC input voltage	100 - 240 V
Response time *	5 ms	Power supply type	Internal
Contrast ratio (typical) *	1000:1	Energy efficiency scale	A to G
Viewing angle, horizontal	178°	Packaging data	
Viewing angle, vertical	178°	Package width	715 mm
Viewable size, horizontal	62.1 cm	Package depth	130 mm
Viewable size, vertical	34.1 cm	Package height	500 mm
Performance		Package weight	6.1 kg
Firmware upgradeable via	USB	Packaging content	
Multimedia		Cables included	HDMI
Number of speakers	2	Other features	
RMS rated power	6 W	Picture enhancement	DNLe digital image processing
Built-in speaker(s) *	✓	Comb filter	3D
Design		USB ports quantity	1
Market positioning *	Industrial	Weight	4.8 kg
Product colour *	Black	Height	380 mm
Ports & interfaces		Width	659 mm
HDMI ports quantity	3	Depth	64 mm
HDMI version	2.0	Mean time between failures (MTBF)	50000 h
DisplayPorts quantity	1		

Ergonomics

Panel mounting interface 100 x 100 mm



5715063068236

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.