

Ernitec 0070-24143-L surveillance monitor CCTV monitor 109.2 cm (43") 1920 x 1080 pixels



Brand : Ernitec

Product code: 0070-24143-L

Product name : 0070-24143-L

43" 24/7 Full-HD surveillance monitor. 1x HDMI 2.0, 1x VGA, 2x BNC Input, 1x BNC Output, Speaker 2x3W

Ernitec 0070-24143-L surveillance monitor CCTV monitor 109.2 cm (43") 1920 x 1080 pixels:

Screen Size: 43 inches
 Active Display Area: 941.184mm (W) × 529.146mm (H)
 Display Mode: 16:9
 LED Type: TFT-LED
 Resolution: 1920 × 1080
 Display Color: 1.073 billion
 Pixel Pitch: 0.294mm (H) × 0.294mm (V)
 Brightness: 350 nits
 Contrast Ratio: 1000:1
 Viewing Angle: 178° (H) / 178° (V)
 Response Time: 5ms
 Backlight: LED
 Input & Output: 1 x HDMI 2.0: 1 x VGA: 2 x BNC Input: 1 x BNC Output: Speaker: 2x3W (Stereo)
 VideoColor System: PAL/NTSC/SECAMSD Control: Auto adjust, Brightness, Contrast, Horizontal/Vertical Position, Clock, Phase, Color, Language3D Comb Filter: YesVideo Noise Reduction: Yes
 Power & Mounting: Power Supply: AC 100V~240V, 50/60Hz
 Working Temperature: -30 to +85°CPower Consumption: 40W
 Menu Languages: English (other languages supported)Mounting Options: Stand mount, VESA mount
 MTBF: 50,000 hours
 Included Accessories:
 Industrial PSU
 Screws
 Cable holder
 Quick start guide

Design		Ports & interfaces	
Product type *	CCTV monitor	HDMI version	2.0
Mounting type *	Freestanding	VGA (D-Sub) ports quantity	1
Product colour *	Black	Power	
Certification	EMC Class A		
Display		Power source type *	AC
		Power supply type	Internal
Display diagonal *	109.2 cm (43")	Power consumption (typical)	40 W
Display resolution *	1920 x 1080 pixels	Power consumption (standby)	0.2 W
Display type *	TFT	AC input voltage	100 - 240 V
Display brightness	350 cd/m²	AC input frequency	50/60 Hz
Display aspect ratio	16:9	Energy efficiency class (SDR)	E
Display viewable area (HxV)	941.184 x 529.146 mm	Energy efficiency class (HDR)	Not available
Viewing angle, horizontal	178°	Energy consumption (SDR) per 1000 hours	40 kWh
Viewing angle, vertical	178°	Operational conditions	
Display number of colours	1.073 billion colours		
Pixel pitch	0.294 x 0.294 mm	Operating temperature (T-T)	-30 - 85 °C
Contrast ratio (typical)	1000:1	Weight & dimensions	
Response time	5 ms		
Performance		Weight	7 kg
Analog signal format system	PAL, SECAM	Height	564 mm
Built-in speaker(s)	✓	Depth	82 mm
Number of built-in speakers	2	Width	958 mm
Speaker power	6 W	Package width	1085 mm
		Package depth	152 mm

Performance		Weight & dimensions	
On Screen Display (OSD)	✓	Package height	638 mm
On Screen Display (OSD) languages	English	Package weight	9 kg
Ports & interfaces		Packaging content	
HDMI ports quantity	1	Quick start guide	✓



5715063163306

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.