

Ernitec 0070-24132-PVMIP computer monitor 81.3 cm (32") 1920 x 1080 pixels Full HD LED Black

Brand : Ernitec

Product code: 0070-24132-PVMIP


Product name : 0070-24132-PVMIP



- Industrial level DID LCD panel, suitable for extensive 7x24 continuous works
- Physical resolution of 1920x1080
- 5ms fast response time, no image ghosting
- Adapt newest 3D digital filtering and 3D digital noise reduction technology
- Built in 1080p HD IP camera
- High fidelity digital processing, brilliant and vivid video
- 120dB true WDR to provide balanced images, ensuring highly detailed images are seen

32" PVM 24/7 Full-HD monitor. Built-In IP 2MP camera NDAA - PSU

Ernitec 0070-24132-PVMIP. Display diagonal: 81.3 cm (32"), Display resolution: 1920 x 1080 pixels, HD type: Full HD, Display technology: LED, Response time: 5 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in speaker(s). VESA mounting. Product colour: Black



Display		Ergonomics	
Display diagonal *	81.3 cm (32")	Panel mounting interface	200 x 200 mm
Display resolution *	1920 x 1080 pixels	Cable lock slot *	✗
HD type *	Full HD	Height adjustment *	✗
Native aspect ratio *	16:9	On Screen Display (OSD)	✓
Display technology *	LED	On Screen Display (OSD) languages	English
Panel type *	TFT		
Touchscreen *	✗		
Display brightness (typical)	350 cd/m²		
Response time *	5 ms		
Screen shape *	Flat		
Supported video modes	1080p		
Contrast ratio (typical) *	1300:1		
Viewing angle, horizontal	178°		
Viewing angle, vertical	178°		
Performance		Power	
NVIDIA G-SYNC *	✗	Energy efficiency class (SDR) *	E
AMD FreeSync *	✗	Energy efficiency class (HDR) *	Not available
Operating hours (hours/days)	24/7	Energy consumption (SDR) per 1000 hours *	25 kWh
		Power consumption (standby) *	0.4 W
		Power consumption (average)	40 W
		Power supply type	Internal
		Energy efficiency scale	A to G
Multimedia		Packaging data	
Number of speakers	2	Package width	875 mm
RMS rated power	6 W	Package depth	197 mm
Built-in speaker(s) *	✓	Package height	570 mm
Megapixel (approx.)	2 MP	Package weight	15.5 kg
Built-in camera *	✓	Package type	Box
		Mounting brackets included	✓
Design		Packaging content	
Market positioning *	Industrial	Screws included	✓
Product colour *	Black	Quick start guide	✓
		Other features	
		Comb filter	3D
		Picture enhancement	DNLe digital image processing

Ports & interfaces		Other features	
USB 2.0 Type-A ports quantity	1	Noise filter	✓
Built-in USB hub *	✗	USB ports quantity	1
VGA (D-Sub) ports quantity	1	Weight	13 kg
HDMI *	✓	Height	468 mm
HDMI ports quantity	2	Width	730 mm
HDMI version	2.0	Depth	65 mm
Headphone out *	✗	Warranty period	5 year(s)
Network		Mean time between failures (MTBF)	50000 h
Ethernet LAN	✓	Certification	EMC Class A
Ergonomics			
VESA mounting *	✓		



5715063361863

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.