



DELL S Series S2425HS computer monitor 60.5 cm (23.8") 1920 x 1080 pixels Full HD LCD Black, Silver

Brand : DELL

Product family: S Series

Product code: DELL-S2425HS

Product name : S2425HS

- 60.5cm (23.8") Full HD 1920 x 1080 Edge LED IPS

- 8ms, 16:9, 250cd/m², 1500:1

- HDMI

60.5cm (23.8") Full HD 1920 x 1080 Edge LED IPS, 16:9, 250cd/m², 16.78M, 8ms, 178°/178°, 1500:1

DELL S Series S2425HS computer monitor 60.5 cm (23.8") 1920 x 1080 pixels Full HD LCD Black, Silver:

A 23.8-inch FHD monitor that optimises eye comfort and features impressive visuals with outstanding acoustics in a lifestyle-inspired design.

DELL S Series S2425HS. Display diagonal: 60.5 cm (23.8"), Display resolution: 1920 x 1080 pixels, HD type: Full HD, Display technology: LCD, Response time: 8 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in speaker(s). VESA mounting, Height adjustment. Product colour: Black, Silver



Display		Ergonomics	
Display diagonal *	60.5 cm (23.8")	On Screen Display (OSD)	✓
Display resolution *	1920 x 1080 pixels	Plug and Play	✓
HD type *	Full HD	LED indicators	✓
Native aspect ratio *	16:9	Power	
Display technology *	LCD	Energy efficiency class (SDR) *	D
Panel type *	IPS	Energy consumption (SDR) per 1000 hours *	15 kWh
LED backlight	✓	Power consumption (typical) *	14.5 W
Backlight type	Edge LED	Power consumption (standby) *	0.4 W
Touchscreen *	✗	Power consumption (max)	42 W
Display brightness (typical)	250 cd/m ²	Power consumption (off)	0.3 W
Response time *	8 ms	AC input voltage	100 - 240 V
Anti-glare screen	✓	AC input frequency	50/60 Hz
Screen shape *	Flat	Input current	1.5 A
Supported video modes	480p, 576p, 720p, 1080i, 1080p	Power supply type	Internal
Contrast ratio (typical) *	1500:1	Energy efficiency scale	A to G
Maximum refresh rate *	100 Hz	Operational conditions	
Viewing angle, horizontal	178°	Operating temperature (T-T)	0 - 40 °C
Viewing angle, vertical	178°	Storage temperature (T-T)	-20 - 60 °C
Display number of colours *	16.78 million colours	Operating relative humidity (H-H)	10 - 80%
Response time (fast)	5 ms	Storage relative humidity (H-H)	5 - 90%
Pixel pitch	0.2745 x 0.2745 mm	Operating altitude	0 - 5000 m
Pixel density	93 ppi	Non-operating altitude	5000 - 12192 m
Horizontal scan range	30 - 110 kHz	Weight & dimensions	
Vertical scan range	48 - 100 Hz	Width (with stand)	537.6 mm
Viewable size, horizontal	52.7 cm	Depth (with stand)	188.1 mm
Viewable size, vertical	29.6 cm	Height (with stand)	477 mm
Surface hardness	3H		
sRGB coverage (typical)	99%		

Performance			Weight & dimensions	
NVIDIA G-SYNC *	✗		Weight (with stand)	4.86 kg
AMD FreeSync *	✗		Width (without stand)	537.6 mm
Flicker-free technology	✓		Depth (without stand)	58.9 mm
Low Blue Light technology	✓		Height (without stand)	313.7 mm
Multimedia			Weight (without stand)	3.19 kg
Number of speakers	2		Bezel width (side)	5.3 mm
RMS rated power	10 W		Bezel width (top)	5.3 mm
Built-in speaker(s) *	✓		Bezel width (bottom)	1.2 cm
Built-in camera *	✗		Packaging data	
Design			Package weight	6.87 kg
Market positioning *	Office		Packaging content	
Product colour *	Black, Silver		Stand included	✓
Front bezel colour	Black		Cables included	AC, HDMI
Feet colour	Silver		Quick start guide	✓
Ports & interfaces			HDMI cable length	1.8 m
Built-in USB hub *	✗		Sustainability	
HDMI *	✓		Sustainability compliance	✓
HDMI ports quantity	2		Sustainability certificates	ENERGY STAR
HDMI version	1.4		Doesn't contain	PVC/BFR
Headphone out *	✗		Carbon footprint	
AC (power) in	✓		Total carbon footprint (kg of CO2e)	166
Ergonomics			Carbon emissions, manufacturing (kg of CO2e)	77.19
VESA mounting *	✓		Carbon emissions, logistics (kg of CO2e)	12.948
Panel mounting interface	100 x 100 mm		Carbon emissions, energy usage (kg of CO2e)	71.878
Cable management	✓		Carbon emissions, end-of-life (kg of CO2e)	3.984
Cable lock slot *	✓		PAIA version	GaBi version 1, 2024
Cable lock slot type	Kensington		Other features	
Height adjustment *	✓		Heavy metals free	Hg (mercury)
Adjustable height (max)	13 cm		Compliance certificates	RoHS
Pivot	✓			
Pivot angle	-90 - 90°			
Swivelling	✓			
Swivel angle range	-30 - 30°			
Tilt adjustment	✓			
Tilt angle range	-5 - 21°			



5397184821626



5715063710470



0884116465096



884116465096

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.