

## AudioCodes Teams C470HD Total Touch IP-Phone PoE GbE

**Brand :** AudioCodes


**Product code:** TEAMS-C470HD

**Product name :** Teams C470HD Total Touch IP-Phone PoE GbE

- Graphical portrait 5.5" color touch screen (720 x 1280) with multi-lingual support
  - Bluetooth 5.0 support
  - Full duplex speaker phone
  - Superior voice quality
  - Native support for Microsoft Teams
  - PoE or external power supply
- Teams C470HD Total Touch IP-Phone PoE GbE

AudioCodes Teams C470HD Total Touch IP-Phone PoE GbE:

The AudioCodes Microsoft Teams-native C470HD IP phone is a feature-rich, executive high-end business phone for Microsoft Teams. The C470HD is equipped with a large, single surface, full touch interface, incorporating an exceptionally sharp 5.5" color touch screen, with optional support for Wi-Fi and Bluetooth.



| Design                         |                           | Ports & interfaces           |                                             |
|--------------------------------|---------------------------|------------------------------|---------------------------------------------|
| Product type *                 | IP Phone                  | USB 2.0 ports quantity       | 1                                           |
| Handset type                   | Wired handset             | Ethernet LAN (RJ-45) ports   | 2                                           |
| Product colour *               | Black                     | RJ-9 ports quantity          | 1                                           |
| Wall mountable                 | ✗                         | WAN connection type          | RJ-45                                       |
| Mounting                       | Desk                      | Cable lock slot              | ✓                                           |
| Performance                    |                           | Certificates                 |                                             |
| Operating system installed     | Android                   | Sustainability compliance    | ✓                                           |
| Operating system version       | 9.0                       | Compliance certificates      | CE, Federal Communications Commission (FCC) |
| Phone features                 |                           | Power                        |                                             |
| Full duplex                    | ✓                         | Power over Ethernet (PoE) *  | ✓                                           |
| Management features            |                           | AC adapter input voltage     | 100 - 240 V                                 |
| Firmware upgradeable           | ✓                         | AC adapter output voltage    | 12 V                                        |
| Display                        |                           | AC adapter output current    | 2 A                                         |
| Display                        | TFT                       | Operational conditions       |                                             |
| Display diagonal               | 14 cm (5.5")              | Operating temperature (T-T)  | 0 - 40 °C                                   |
| Display resolution             | 720 x 1280 pixels         | Storage temperature (T-T)    | -20 - 70 °C                                 |
| Touchscreen *                  | ✓                         | Weight & dimensions          |                                             |
| Audio                          |                           | Width                        | 180 mm                                      |
| Speakerphone *                 | ✓                         | Depth                        | 165 mm                                      |
| Voice codecs                   | G.711, G.722, G.729, Silk | Height                       | 230 mm                                      |
| Echo cancellation              | ✓                         | Weight                       | 1.2 kg                                      |
| Voice activity detection       | ✓                         | Package width                | 238 mm                                      |
| Adaptive jitter buffers        | ✓                         | Package depth                | 275 mm                                      |
| Comfort noise generation (CNG) | ✓                         | Package height               | 174 mm                                      |
| Packet loss concealment (PLC)  | ✓                         | Package weight               | 1.74 kg                                     |
| Network                        |                           | Packaging content            |                                             |
| Ethernet LAN *                 | ✓                         | Base station                 | ✓                                           |
| Ethernet LAN interface type    | Gigabit Ethernet          | Handset                      | ✓                                           |
| Ethernet LAN data rates        | 10,100,1000 Mbit/s        | Number of handles included * | 1 pc(s)                                     |
| Wi-Fi *                        | ✗                         | Cables included              | LAN (RJ-45)                                 |

| Network              |                           | Logistics data                   |         |
|----------------------|---------------------------|----------------------------------|---------|
| Bluetooth *          | ✗                         | Master (outer) case gross weight | 12.3 kg |
| Security algorithms  | 802.1x RADIUS, HTTPS, TLS | Master (outer) case length       | 540 mm  |
| Networking standards | IEEE 802.3af              | Master (outer) case width        | 490 mm  |
|                      |                           | Master (outer) case height       | 308 mm  |



5715063781654

### Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.