



## Canon EOS 4000D + EF-S 18-55mm III SLR Camera Kit 18 MP 5184 x 3456 pixels Black



**Brand :** Canon

**Product family:** EOS

**Product code:** 3011C003

**Product name :** 4000D + EF-S 18-55mm III

18 MP, 3:2, DIGIC 4+, EF/EF-S, ISO 100-12800, AWB, 2.7" TFT LCD, JPEG 5184x3456, MOV 1920x1080, USB, Wi-Fi, Mini HDMI C, SD/SDHC/SDXC, Li-Ion, 129x101.6x77.1 mm  
Canon EOS 4000D + EF-S 18-55mm III. Camera type: SLR Camera Kit, Megapixel (approx.): 18 MP, Maximum image resolution: 5184 x 3456 pixels. ISO sensitivity (max): 12800. Focal length range: 18 - 55 mm. Fastest camera shutter speed: 1/4000 s. Wi-Fi. HD type: Full HD, Maximum video resolution: 1920 x 1080 pixels. Display diagonal: 6.86 cm (2.7"). Viewfinder type: Electronic, Optical. PictBridge. Weight: 436 g. Product colour: Black

| Picture quality                  |                                                                                                                                                                                                                                                            | Display                          |                                                                           |
|----------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------|---------------------------------------------------------------------------|
| Camera type *                    | SLR Camera Kit                                                                                                                                                                                                                                             | Touchscreen *                    | ✗                                                                         |
| Megapixel (approx.) *            | 18 MP                                                                                                                                                                                                                                                      | Display diagonal *               | 6.86 cm (2.7")                                                            |
| Maximum image resolution *       | 5184 x 3456 pixels                                                                                                                                                                                                                                         | Display diagonal (metric)        | 6.8 cm                                                                    |
|                                  | 5184 x 3456, 3456 x 2304, 2592 x 1728, 1920 x 1280, 720 x 480, 4608 x 3456, 3072 x 2304, 2304 x 1728, 1696 x 1280, 640 x 480, 5184 x 2912, 3456 x 1944, 2592 x 1456, 1920 x 1080, 720 x 400, 3456 x 3456, 2304 x 2304, 1728 x 1728, 1280 x 1280, 480 x 480 | Display resolution (numeric)     | 230000 pixels                                                             |
| Still image resolution(s) *      |                                                                                                                                                                                                                                                            | Display aspect ratio             | 4:3                                                                       |
| Image stabilizer *               | ✗                                                                                                                                                                                                                                                          | Flip-out screen                  | ✗                                                                         |
| Supported aspect ratios          | 3:2                                                                                                                                                                                                                                                        | Viewfinder                       |                                                                           |
| Total megapixels                 | 18.7 MP                                                                                                                                                                                                                                                    | Viewfinder type                  | Electronic, Optical                                                       |
| Image sensor size (W x H)        | 22.3 x 14.9 mm                                                                                                                                                                                                                                             | Magnification                    | 0.8x                                                                      |
| Image formats supported *        | JPEG                                                                                                                                                                                                                                                       | Ports & interfaces               |                                                                           |
| Lens system                      |                                                                                                                                                                                                                                                            | PictBridge *                     | ✓                                                                         |
| Focal length range               | 18 - 55 mm                                                                                                                                                                                                                                                 | HDMI *                           | ✓                                                                         |
| Lens mount interface             | Canon EF, Canon EF-S                                                                                                                                                                                                                                       | HDMI connector type              | Mini                                                                      |
| Focusing                         |                                                                                                                                                                                                                                                            | USB port                         | ✓                                                                         |
| Focus *                          | TTL                                                                                                                                                                                                                                                        | Network                          |                                                                           |
| Focus adjustment *               | Auto/Manual                                                                                                                                                                                                                                                | Bluetooth *                      | ✗                                                                         |
| Auto focusing (AF) modes *       | AI Focus, Contrast Detection Auto Focus, One Shot Focus                                                                                                                                                                                                    | Wi-Fi *                          | ✓                                                                         |
| Auto Focus (AF) points           | 9                                                                                                                                                                                                                                                          | Wi-Fi standards                  | 802.11b, 802.11g, Wi-Fi 4 (802.11n)                                       |
| Auto Focus (AF) points selection | Auto, Manual                                                                                                                                                                                                                                               | Near Field Communication (NFC) * | ✗                                                                         |
| Auto Focus (AF) lock             | ✓                                                                                                                                                                                                                                                          | Camera                           |                                                                           |
| Auto Focus (AF) assist beam      | ✓                                                                                                                                                                                                                                                          | White balance *                  | Auto, Cloudy, Custom modes, Daylight, Flash, Fluorescent, Shade, Tungsten |
| Exposure                         |                                                                                                                                                                                                                                                            | Scene modes *                    | Close-up (macro), Food, Night portrait, Portrait, Sports, Landscape       |
| ISO sensitivity (min) *          | 100                                                                                                                                                                                                                                                        | Shooting modes *                 | Auto, Manual, Movie, Scene                                                |
| ISO sensitivity (max) *          | 12800                                                                                                                                                                                                                                                      | Self-timer delay *               | 2,10 s                                                                    |
| ISO sensitivity                  | 100, 6400, 12800                                                                                                                                                                                                                                           | Dioptre correction               | ✓                                                                         |
|                                  |                                                                                                                                                                                                                                                            | Diopter adjustment (D-D)         | -1 - 1                                                                    |

| Exposure                       |                                                                                                                | Camera                              |                                                                                                                                                                                                                                                    |
|--------------------------------|----------------------------------------------------------------------------------------------------------------|-------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Light exposure modes *         | Auto, Manual                                                                                                   | Playback zoom (max)                 | 10x                                                                                                                                                                                                                                                |
| Light exposure control         | Program AE                                                                                                     |                                     | Arabic, Simplified Chinese, Traditional Chinese, Czech, Danish, German, Dutch, English, Spanish, Finnish, French, Greek, Hungarian, Italian, Japanese, Korean, Norwegian, Polish, Portuguese, Romanian, Russian, Swedish, Thai, Turkish, Ukrainian |
| Light exposure correction *    | ± 5EV (1/2EV; 1/3EV step)                                                                                      | Languages support                   |                                                                                                                                                                                                                                                    |
| Light metering *               | Centre-weighted, Evaluative (Multi-pattern), Partial                                                           |                                     |                                                                                                                                                                                                                                                    |
| Auto Exposure (AE) lock        | ✓                                                                                                              |                                     |                                                                                                                                                                                                                                                    |
| Shutter                        |                                                                                                                |                                     |                                                                                                                                                                                                                                                    |
| Fastest camera shutter speed * | 1/4000 s                                                                                                       | Histogram                           | ✓                                                                                                                                                                                                                                                  |
| Slowest camera shutter speed * | 30 s                                                                                                           | Live view                           | ✓                                                                                                                                                                                                                                                  |
| Camera shutter type            | Electronic                                                                                                     | GPS (satellite)                     | ✗                                                                                                                                                                                                                                                  |
| Flash                          |                                                                                                                | Orientation sensor                  | ✓                                                                                                                                                                                                                                                  |
| Flash modes *                  | Auto, Flash off, Flash on, Manual                                                                              | Camera file system                  | DPOF 1.1, Exif 2.3, Raw                                                                                                                                                                                                                            |
| Flash exposure lock            | ✓                                                                                                              | Anti-dust function                  | ✓                                                                                                                                                                                                                                                  |
| Flash guide number             | 9.2 m                                                                                                          | Eye relief                          | 2.1 cm                                                                                                                                                                                                                                             |
| Flash recharging time          | 2 s                                                                                                            | Playback modes                      | Repeat, Zoom                                                                                                                                                                                                                                       |
| External flash connector       | ✓                                                                                                              | Slideshow                           | ✓                                                                                                                                                                                                                                                  |
| Flash sync-speed               | 1/200 s                                                                                                        | Image processor                     | DIGIC 4+                                                                                                                                                                                                                                           |
| Flash exposure compensation    | ✓                                                                                                              | Windows operating systems supported | Windows 10, Windows 7, Windows 8.1                                                                                                                                                                                                                 |
| Flash exposure correction      | ±2EV (1/2, 1/3 EV step)                                                                                        |                                     | Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra                                                                                                                                                                          |
| Shoe mounting point            | ✓                                                                                                              | Mac operating systems supported     |                                                                                                                                                                                                                                                    |
| Shoe mounting point type       | Hot shoe                                                                                                       |                                     |                                                                                                                                                                                                                                                    |
| Video                          |                                                                                                                | Design                              |                                                                                                                                                                                                                                                    |
| Video recording *              | ✓                                                                                                              | Product colour *                    | Black                                                                                                                                                                                                                                              |
| Maximum video resolution *     | 1920 x 1080 pixels                                                                                             | Material                            | Polycarbonate                                                                                                                                                                                                                                      |
| HD type *                      | Full HD                                                                                                        | Battery                             |                                                                                                                                                                                                                                                    |
| Video resolutions              | 640 x 480, 1280 x 720, 1920 x 1080                                                                             | Battery technology *                | Lithium-Ion (Li-Ion)                                                                                                                                                                                                                               |
| Video recording time           | 30 min                                                                                                         | Battery life (CIPA standard)        | 500 shots                                                                                                                                                                                                                                          |
| Motion JPEG frame rate         | 3 fps                                                                                                          | Number of batteries supported       | 1                                                                                                                                                                                                                                                  |
|                                | 640x480@25fps, 640x480@30fps, 1280x720@50fps, 1280x720@60fps, 1920x1080@25fps, 1920x1080@30fps, 1920x810@24fps | Battery level indicator             | ✓                                                                                                                                                                                                                                                  |
| Resolution at capture speed    |                                                                                                                | Operational conditions              |                                                                                                                                                                                                                                                    |
|                                |                                                                                                                | Operating temperature (T-T)         | 0 - 40 °C                                                                                                                                                                                                                                          |
| Video formats supported        | H.264, MOV                                                                                                     | Operating relative humidity (H-H)   | 0 - 85%                                                                                                                                                                                                                                            |
| Audio                          |                                                                                                                | Weight & dimensions                 |                                                                                                                                                                                                                                                    |
| Built-in microphone *          | ✓                                                                                                              | Width                               | 101.6 mm                                                                                                                                                                                                                                           |
| Memory                         |                                                                                                                | Depth                               | 77.1 mm                                                                                                                                                                                                                                            |
| Compatible memory cards *      | SD, SDHC, SDXC                                                                                                 | Height                              | 129 mm                                                                                                                                                                                                                                             |
| Display                        |                                                                                                                | Weight                              | 436 g                                                                                                                                                                                                                                              |
| Display *                      | TFT                                                                                                            | Other features                      |                                                                                                                                                                                                                                                    |
|                                |                                                                                                                | Power source type                   | Battery                                                                                                                                                                                                                                            |
|                                |                                                                                                                | Technical details                   |                                                                                                                                                                                                                                                    |
|                                |                                                                                                                | Self-timer                          | ✓                                                                                                                                                                                                                                                  |



4549292116571

### Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.