



## Unold 86445 electric space heater Indoor Black 2000 W Fan electric space heater

**Brand :** Unold

**Product code:** 86445

**Product name :** 86445

CERAMIC FAN HEATER Bathroom Black 86445

[Unold 86445 electric space heater Indoor Black 2000 W Fan electric space heater:](#)

Oscillating at 75°, the CERAMIC FAN HEATER distributes heat in the bathroom with either 1,300 or 2,000 watts! As light as it is quiet, it ensures a pleasant room climate thanks to its thermostat with infinitely variable temperature control. The functions off, ventilation, warm air and hot air are controlled using a 4-stage switch. Equipped with overheating and tip-over protection, the compact device with integrated carrying handle in the sturdy plastic housing is drip-proof thanks to protection class IP21, making it ideal for rooms where moisture is generated.

This product is only suitable for well-insulated rooms or for occasional use.



| Features                           |                           | Packaging content                                           |                                                          |
|------------------------------------|---------------------------|-------------------------------------------------------------|----------------------------------------------------------|
| Heating element type *             | Ceramic                   | Remote control included                                     | ✗                                                        |
| Number of power levels             | 4                         | Manual                                                      | ✓                                                        |
| Summer ventilation                 | ✓                         | Manual languages                                            | German, Dutch, English, Spanish, French, Italian, Polish |
| Type *                             | Fan electric space heater | <b>Certificates</b>                                         |                                                          |
| Oscillation range                  | 75°                       | Waste Electrical and Electronic Equipment (WEEE) compliance | ✓                                                        |
| Cord length                        | 1.4 m                     | <b>Sustainability</b>                                       |                                                          |
| Overheat protection                | ✓                         | Compliance certificates                                     | CE                                                       |
| International Protection (IP) code | IP21                      | <b>Packaging data</b>                                       |                                                          |
| Certification                      | CE;REACH;ROHS;VO          | Paper packaging weight                                      | 430 g                                                    |
| Design                             |                           | Plastic packaging weight                                    | 106 g                                                    |
| Suitable for *                     | Indoor                    | Other packaging weight                                      | 0.5 g                                                    |
| Placement options *                | Floor                     | Package width                                               | 258 mm                                                   |
| Product colour *                   | Black                     | Package depth                                               | 202 mm                                                   |
| Housing material                   | Ceramic, Plastic          | Package height                                              | 387 mm                                                   |
| Portable                           | ✓                         | Package weight                                              | 2.63 kg                                                  |
| Display                            | LED                       | <b>Logistics data</b>                                       |                                                          |
| LED indicators                     | ✓                         | Products per shipping (inner) case                          | 4 pc(s)                                                  |
| Handle(s)                          | ✓                         | Pallet gross length                                         | 80 cm                                                    |
| Power LED                          | ✓                         | Pallet gross width                                          | 120 cm                                                   |
| Control type                       | Rotary                    | Pallet gross height                                         | 185 cm                                                   |
| Cable colour                       | Black                     | Customs product code (TARIC)                                | 85162991                                                 |
| Performance                        |                           | Pallet gross weight                                         | 191 kg                                                   |
| Heating power *                    | 2000 W                    | Products per intermodal container (40ft)                    | 2540 pc(s)                                               |
| Heating power (min)                | 1300 W                    | Products per pallet layer                                   | 16 pc(s)                                                 |
| Suitable for room area up to       | 15 m²                     | Products per pallet                                         | 64 pc(s)                                                 |
| Adjustable thermostat *            | ✓                         | Master (outer) cases per pallet                             | 16 pc(s)                                                 |
| Power                              |                           | Master (outer) cases per pallet layer                       | 4 pc(s)                                                  |
| Power                              | 2000 W                    | Layers per pallet                                           | 4 pc(s)                                                  |
| AC input voltage                   | 220 - 240 V               | Master (outer) case width                                   | 526 mm                                                   |
| AC input frequency                 | 50 Hz                     | Master (outer) case length                                  | 428 mm                                                   |
| Power plug                         | Type C (CEE 7/17)         | Master (outer) case height                                  | 398 mm                                                   |
| Weight & dimensions                |                           | Master (outer) case gross weight                            | 11 kg                                                    |
| Width                              | 224 mm                    | Master (outer) case GTIN (EAN/UPC)                          | 85162991                                                 |
| Depth                              | 166 mm                    |                                                             |                                                          |
| Height                             | 347 mm                    |                                                             |                                                          |

| Weight & dimensions |         |
|---------------------|---------|
| Weight              | 2 kg    |
| Packaging content   |         |
| Quantity per pack   | 1 pc(s) |



4011689864452

### **Catalog Object Cloud**



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.