

Brother ADS-4550W scanner ADF scanner 600 x 600 DPI Black, White

Brand : Brother

Product code: ADS-4550W


Product name : ADS-4550W

Brother ADS-4550W. Optical scanning resolution: 600 x 600 DPI, Input colour depth: 48 bit, Output colour depth: 24 bit. Scanner type: ADF scanner, Product colour: Black, White, Display diagonal: 7.11 cm (2.8"). Sensor type: Dual CIS, Daily duty cycle (max): 5250 pages, Scan file formats: JPEG, PDF, TIFF. Auto document feeder (ADF) input capacity: 60 sheets. Scanning media types supported: Business Card, Plain paper, Plastic Card, Recycled paper, Thick paper, Thin paper, ISO A-series sizes (A0...A9): A3, A4, Card thickness (max): 1.32 mm




Scanning		Power	
Optical scanning resolution *	600 x 600 DPI	Power supply type *	DC
Colour scanning	✓	Power consumption (typical)	25 W
Duplex scanning *	✓	Power consumption (standby)	2.3 W
Input colour depth	48 bit	Power consumption (off)	0.1 W
Output colour depth	24 bit	AC input frequency	50/60 Hz
Output greyscale depth	8 bit	Input voltage	100 - 240 V
ADF scan speed (b/w, A4)	35 ppm	Power consumption (sleep)	1.7 W
ADF scan speed (colour, A4)	35 ppm	Output voltage	24 V
Duplex ADF scan speed (b/w, A4)	70 ipm	Output current	1.9 A
Duplex ADF scan speed (colour, A4)	70 ipm	Auto power off	✓
Design		Weight & dimensions	
Scanner type *	ADF scanner	Width	300 mm
Product colour *	Black, White	Depth	630 mm
Display diagonal	7.11 cm (2.8")	Height	290 mm
Touchscreen	✓	Weight	2.7 kg
Colour display	✓	Folded width	30 cm
Control type	Buttons, Touch	Folded depth	15.4 cm
Built-in display *	✓	Folded height	15.8 cm
Performance		Packaging data	
Sensor type *	Dual CIS	Quantity per pack	1 pc(s)
Scan file formats	JPEG, PDF, TIFF	Package width	391 mm
Daily duty cycle (max) *	5250 pages	Package depth	243 mm
Maximum duty cycle	105000 pages per month	Package height	320 mm
Scan to	E-mail Server, FTP, Image, Network folder, PC, SMB, USB	Package weight	4.5 kg
Scan drivers	SANE, TWAIN, WIA	Packaging content	
Sound pressure level (max)	59 dB	Warranty card	✓
		Cables included	AC, USB

Input capacity		Packaging content	
Auto document feeder (ADF) input capacity	60 sheets	Quick start guide	✓
Paper handling		AC adapter included	✓
		ADF paper chute	✓
Scanning media types supported	Business Card, Plain paper, Plastic Card, Recycled paper, Thick paper, Thin paper	System requirements	
Long-paper mode	✓	Windows operating systems supported	Windows 10, Windows 11
ISO A-series sizes (A0...A9)	A3, A4	Mac operating systems supported	✓
Card thickness (max)	1.32 mm	Linux operating systems supported	✓
Auto Document Feeder (ADF) media weight	40 - 200 g/m²	Server operating systems supported	Windows Server 2016, Windows Server 2019, Windows Server 2022
Ports & interfaces		Operational conditions	
USB port *	✓	Operating temperature (T-T)	5 - 35 °C
USB version	3.2 Gen 1 (3.1 Gen 1)	Storage temperature (T-T)	-20 - 60 °C
Network		Operating relative humidity (H-H)	20 - 80%
Wi-Fi	✓	Storage relative humidity (H-H)	10 - 90%
Ethernet LAN	✓	Other features	
		Cable lock slot	✓
Security algorithms	64-bit WEP, 128-bit WEP, EAP-FAST, EAP-MD5, EAP-TLS, EAP-TTLS, PEAP, SMTP-AUTH, SNMPv3, SSL/TLS, TLS, WPA-PSK, WPA-PSK2, WPA3-SAE, WPS	Maximum scan resolution	1200 x 1200 DPI
		Custom media width	50.8 - 215.9 mm
		Maximum media length	5 m
Mobile printing technologies	Apple AirPrint, Brother Mobile Connect	Product dimensions when closed (WxDxH)	300 x 216 x 191 mm
Supported network protocols (IPv6)	RA, DNS Resolver, mDNS, LLMNR responder, Web Services(Scan), SNTP Client, HTTP/HTTPS server, ICMPv6	Compliance certificates	GS mark, RoHS
Wi-Fi Direct	✓		
Supported network protocols (IPv4)	DHCP, APIPA (Auto IP), WINS/NetBIOS, DNS Resolver, mDNS, SNMPv1/v2c/v3, ICMP, Web Services (Scan), HTTP/HTTPS server, LLMNR responder, SNTP Client		
IPv6 support	✓		



4977766838450



4977766838443

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.