


ASUS TUF-GAMING-650B-EVO power supply unit 650 W 20+4 pin ATX ATX Black

Brand : ASUS

Product code: 90YE00D6-B0NA00

Product name : TUF-GAMING-650B-EVO



- Capacitors and chokes pass demanding tests to achieve military-grade certification.
- ATX 3.1 compatible ensuring enhanced voltage and current regulation for the latest hardware.
- Dual-ball fan bearings can last up to twice as long as sleeve bearings.
- A Protective PCB coating protects against moisture, dust, and extreme temperatures.
- 80 Plus Bronze certification due to low-ESR electrolytic capacitors and other premium components.
- Fully modular design with premium cables helps create a clean and tidy setup.
- Etched cables offer high flexibility for easy installation.

TUF Gaming 650W Bronze EVO PSU



ASUS TUF-GAMING-650B-EVO power supply unit 650 W 20+4 pin ATX ATX Black:


Built For The Long Haul

TUF Gaming Bronze EVO series PSUs deliver dependable power with military-grade components, a robust cooling solution, and ATX 3.1 compatibility. High-quality capacitors and chokes endure rigorous testing to meet military specifications. The dual-ball fan bearings ensure longevity, making this PSU ideal for TUF Gaming rigs or any build designed for years of AAA gaming.

Power		Ports & interfaces	
Total power *	650 W	CPU power cable length	65 cm
AC input voltage *	100 - 240 V	Cabling type	Fully-Modular
Power Factor Correction (PFC) type	Active	Performance	
Combined power (+3.3V)	80 W	80 PLUS certification *	80 PLUS Bronze
Combined power (+12V)	650 W	Purpose *	PC
Combined power (+5V)	80 W	Power supply unit (PSU) form factor *	ATX
Combined power (-12V)	3.6 W	ATX version	3.1
Combined power (+5Vsb)	15 W	Bearing technology	DBB
Max output current (+3.3V)	12 A	Mean time between failures (MTBF)	120000 h
Max output current (+12V)	54.16 A	Design	
Max output current (+5V)	12 A	Product colour	Black
Max output current (-12V)	0.3 A	Cooling type	Active
Max output current (+5Vsb)	3 A	Number of fans	1 fan(s)
Power protection features	Overheating, Over current, Over power, Under voltage, Over voltage, Short circuit	Fan location	Top
		On/off switch	✓
Ports & interfaces		Packaging content	
Motherboard power connector *	20+4 pin ATX	Cables included	CPU, PCIe, Peripheral (Molex), SATA
Motherboard power cable length	50 cm	Weight & dimensions	
Number of SATA power connectors	4	Width	140 mm
SATA power cable length	400,120 mm	Depth	150 mm
Peripheral (Molex) power connectors (4-pin) *	2	Height	86 mm
Peripheral (Molex) power cable length	400,120 mm	Weight	1.25 kg
PCI Express power connectors (6+2 pin)	2	Packaging data	
CPU power connector (4+4 pin)	✓	Package width	282 mm
		Package depth	182 mm
		Package height	127 mm

Packaging data

Package weight	2.07 kg
Package type	Box



4711636170550

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.