

bluechip SERVERline R52212a 2HE Rack, 2 x Intel® Xeon® Silver 4410Y Prozessor / bis zu 3.90 GHz, 64 GB DDR5, 2 x 960 GB SSD, Avago 9560-8i, 2 x 10 Gigabit Ethernet

Brand : bluechip

Product code: 850540

Product name : SERVERline R52212a 2HE Rack, 2 x Intel® Xeon® Silver 4410Y Prozessor / bis zu 3.90 GHz, 64 GB DDR5, 2 x 960 GB SSD, Avago 9560-8i, 2 x 10 Gigabit Ethernet

bluechip SERVERline R52212a 2HE Rack, 2 x Intel® Xeon® Silver 4410Y Prozessor / bis zu 3.90 GHz, 64 GB DDR5, 2 x 960 GB SSD, Avago 9560-8i, 2 x 10 Gigabit Ethernet. Processor family: Intel Xeon Silver, Processor frequency: 2 GHz, Processor model: 4410Y. Internal memory: 64 GB, Internal memory type: DDR5-SDRAM, Memory layout (slots x size): 4 x 16 GB. Total storage capacity: 1.92 TB. Ethernet LAN. Power supply: 2600 W, Redundant power supply (RPS) support. Chassis type: Rack (2U)



Processor		Storage	
Processor manufacturer *	Intel	Hot-swap	✓
Processor family *	Intel Xeon Silver	Internal drive bays	24
Processor generation	Intel Xeon Scalable 4th Gen	Supported storage drive interfaces	SAS, Serial ATA
Processor model *	4410Y	Graphics	
Processor frequency *	2 GHz	On-board graphics card	✓
Processor boost frequency	3.9 GHz	On-board graphics card model	Aspeed AST2600
Processor cores	12	Network	
Processor cache	30 MB	LAN controller	Intel X710-AT2
Motherboard chipset	Intel C741	Ethernet LAN	✓
Number of processors installed	2	Ethernet interface type	10 Gigabit Ethernet
Processor socket	LGA 4677 (Socket E)	Number of LAN controllers	2
Intelligent Platform Management Interface (IPMI) support	✓	Ports & interfaces	
Memory		Ethernet LAN (RJ-45) ports *	2
Internal memory *	64 GB	USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	4
Internal memory type *	DDR5-SDRAM	VGA (D-Sub) ports quantity	1
Memory slots	32x DIMM	Design	
ECC	✓	Chassis type *	Rack (2U)
Memory clock speed	4800 MHz	Product colour	Black, Silver
Memory layout (slots x size)	4 x 16 GB	Software	
Maximum internal memory *	4 TB	Operating system installed *	✗
Storage		Power	
Total storage capacity *	1.92 TB	Redundant power supply (RPS) support *	✓
Number of SSDs installed	2	Power supply *	2600 W
SSD capacity	960 GB	Weight & dimensions	
SSD interface	SATA III	Width	447 mm
SSD size	2.5"	Depth	840 mm
RAID support *	✓	Height	88 mm
RAID levels	0, 1, 5, 6, 50, 60, JBOD		
Supported RAID controllers	Avago 9560-8i		

Other features

Motherboard manufacturer

ASUS Z13PP-D32



4250749707289

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.