



Beko b300 BDFN26530X Freestanding 15 place settings

Brand : Beko

Product family: b300

Product code: 7675403977

Product name : BDFN26530X

Beko b300 BDFN26530X. Appliance placement: Freestanding, Product size: Full size (60 cm), Door colour: Stainless steel. Number of place settings: 15 place settings, Noise emission class: B, Noise level: 44 dB. Energy efficiency class: D, Water consumption per cycle: 9.9 L, Energy consumption per 100 cycles: 86 kWh. Width: 598 mm, Depth: 600 mm, Height: 850 mm. Beko technologies (dish washing): Glass care, HygieneIntense, Quick & Shine®, SteamGloss®



Design		Performance	
Appliance placement *	Freestanding	Number of spray zones	3
Product size *	Full size (60 cm)	Tablet detergent function	✓
Custom panel-ready *	✓	Ergonomics	
Door colour *	Stainless steel	Automatic door opening	✓
Control panel colour	Black	Child lock	✓
Control type	Touch	Power	
Built-in display *	✓	Energy efficiency scale	A to G
Display type	LED	Energy efficiency class *	D
Baskets adjustable placement	Upper	Energy consumption per cycle	0.861 kWh
Upper basket adjustable height	✓	Water consumption per cycle *	9.9 L
Upper basket adjustable height levels	3	Energy consumption per 100 cycles *	86 kWh
Upper basket rack	Foldable	Power consumption (off)	0.5 W
Lower basket rack	Foldable	AC input voltage	220 - 240 V
Tub material	Stainless steel	AC input frequency	50 Hz
Performance		Energy efficiency index (EEI) 2017/1369)	49.9
Noise level *	44 dB	Drying efficiency index (EU 2017/1369)	1.07
Dishwashing programs *	Auto, Delicate 40°C, Eco 50°C, Intensive 70°C, Mini, Quick&Shine	Weight & dimensions	
Drying system	Static	Depth	600 mm
Number of place settings *	15 place settings	Height	850 mm
Number of washing programs *	6	Weight	48.6 kg
Noise emission class *	B	Width *	598 mm
Automatic programs	✓		

Performance		Brand-specific features	
Drying performance	B	Beko technologies (dish washing)	Glass care, HygieneIntense, Quick & Shine®, SteamGloss®
Temperature (max) *	70 °C		
Cycle time *	245 min		
Delayed start timer	✓	Packaging data	
Delay start (max)	24 h	Package width	644 mm
Overflow protection *	✓	Package depth	661 mm
Half-load	✓	Package height	889 mm
		Package weight	50.8 kg



8690842565793

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.