



## DELL Pro P P3426WEV computer monitor 86.6 cm (34.1") 3440 x 1440 pixels Wide Quad HD LCD Black, Silver

**Brand :** DELL

**Product family:** Pro P

**Product code:** DELL-P3426WEV

**Product name :** P3426WEV

- 34.1" LCD IPS  
- Wide Quad HD, 21:9, 3440 x 1440  
- 100Hz, 5ms, 350cd/m<sup>2</sup>  
- USB Hub, USB PD (90W), WebCam  
34.1", 3440 x 1440 Edge LED IPS, 100Hz, 21:9, 350cd/m<sup>2</sup>, 5ms, 178°/178°, WebCam, USB PD (90W)

DELL Pro P P3426WEV computer monitor 86.6 cm (34.1") 3440 x 1440 pixels Wide Quad HD LCD Black, Silver:

Elevate collaboration in open workspaces with a 34-inch WQHD IPS curved monitor featuring a built-in webcam.

DELL Pro P P3426WEV. Display diagonal: 86.6 cm (34.1"), Display resolution: 3440 x 1440 pixels, HD type: Wide Quad HD, Display technology: LCD, Response time: 8 ms, Native aspect ratio: 21:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in USB hub. VESA mounting, Height adjustment. Product colour: Black, Silver



| Display                        |                                                                                                                                                                              | Ports & interfaces                        |               |
|--------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------|---------------|
| Display diagonal *             | 86.6 cm (34.1")                                                                                                                                                              | HDCP                                      | ✓             |
| Display resolution *           | 3440 x 1440 pixels                                                                                                                                                           | HDCP version                              | 1.4           |
| HD type *                      | Wide Quad HD                                                                                                                                                                 | <b>Network</b>                            |               |
| Native aspect ratio *          | 21:9                                                                                                                                                                         | Ethernet LAN                              | ✓             |
| Display technology *           | LCD                                                                                                                                                                          | <b>Ergonomics</b>                         |               |
| Panel type *                   | IPS                                                                                                                                                                          | VESA mounting *                           | ✓             |
| LED backlight                  | ✓                                                                                                                                                                            | Panel mounting interface                  | 100 x 100 mm  |
| Backlight type                 | Edge LED                                                                                                                                                                     | Cable management                          | ✓             |
| Touchscreen *                  | ✗                                                                                                                                                                            | Cable lock slot *                         | ✓             |
| Display brightness (typical)   | 350 cd/m <sup>2</sup>                                                                                                                                                        | Cable lock slot type                      | Kensington    |
| Response time *                | 8 ms                                                                                                                                                                         | Height adjustment *                       | ✓             |
| Response time measurement type | GTG (Gray to Gray)                                                                                                                                                           | Adjustable height (max)                   | 15 cm         |
| Anti-glare screen              | ✓                                                                                                                                                                            | Swivelling                                | ✓             |
| Screen shape *                 | Curved                                                                                                                                                                       | Swivel angle range                        | -30 - 30°     |
| Screen curvature rating        | 3800R                                                                                                                                                                        | Tilt adjustment                           | ✓             |
| Supported graphics resolutions | 640 x 480 (VGA), 800 x 600 (SVGA), 1024 x 768 (XGA), 1152 x 864 (XGA+), 1280 x 720 (HD 720), 1280 x 1024 (SXGA), 1600 x 900, 1920 x 1080 (HD 1080), 2560 x 1440, 3440 x 1440 | Tilt angle range                          | -5 - 21°      |
|                                |                                                                                                                                                                              | On Screen Display (OSD)                   | ✓             |
| Supported video modes          | 1080p, 480p, 576p, 720p                                                                                                                                                      | <b>Power</b>                              |               |
| Contrast ratio (typical) *     | 1500:1                                                                                                                                                                       | Energy efficiency class (SDR) *           | F             |
| Maximum refresh rate *         | 100 Hz                                                                                                                                                                       | Energy efficiency class (HDR) *           | Not available |
| Viewing angle, horizontal      | 178°                                                                                                                                                                         | Energy consumption (SDR) per 1000 hours * | 27 kWh        |
| Viewing angle, vertical        | 178°                                                                                                                                                                         | Power consumption (typical) *             | 27 W          |
| Display number of colours *    | 1.07 billion colours                                                                                                                                                         | Power consumption (standby) *             | 0.5 W         |
| Response time (fast)           | 5 ms                                                                                                                                                                         | Power consumption (max)                   | 205 W         |
| Pixel pitch                    | 0.2325 x 0.2325 mm                                                                                                                                                           | Power consumption (off)                   | 0.3 W         |
| Pixel density                  | 109 ppi                                                                                                                                                                      | AC input voltage                          | 100 - 240 V   |
| Viewable size, horizontal      | 80 cm                                                                                                                                                                        | AC input frequency                        | 50/60 Hz      |
| Viewable size, vertical        | 33.5 cm                                                                                                                                                                      | Input current                             | 2.5 A         |
| Viewable size diagonal         | 86.7 cm                                                                                                                                                                      | Power supply type                         | Internal      |
| Digital horizontal frequency   | 30 - 160 kHz                                                                                                                                                                 | Energy efficiency scale                   | A to G        |
| Digital vertical frequency     | 48 - 100 Hz                                                                                                                                                                  |                                           |               |
| Surface hardness               | 3H                                                                                                                                                                           |                                           |               |

| Display                                      |                        | Operational conditions            |                                                                        |
|----------------------------------------------|------------------------|-----------------------------------|------------------------------------------------------------------------|
| sRGB coverage (typical)                      | 99%                    | Operating temperature (T-T)       | 0 - 40 °C                                                              |
| Performance                                  |                        | Storage temperature (T-T)         | -20 - 60 °C                                                            |
| Flicker-free technology                      | ✓                      | Operating relative humidity (H-H) | 10 - 80%                                                               |
| Low Blue Light technology                    | ✓                      | Storage relative humidity (H-H)   | 5 - 90%                                                                |
| Multimedia                                   |                        | Operating altitude                | 0 - 5000 m                                                             |
| Built-in speaker(s) *                        | ✗                      | Non-operating altitude            | 5000 - 12192 m                                                         |
| Megapixel (approx.)                          | 4 MP                   | Weight & dimensions               |                                                                        |
| Built-in camera *                            | ✓                      | Width (with stand)                | 815.6 mm                                                               |
| Design                                       |                        | Depth (with stand)                | 229.4 mm                                                               |
| Market positioning *                         | Business               | Height (with stand)               | 573.2 mm                                                               |
| Product colour *                             | Black, Silver          | Weight (with stand)               | 9.41 kg                                                                |
| Front bezel colour                           | Black                  | Width (without stand)             | 815.6 mm                                                               |
| Detachable stand                             | ✓                      | Depth (without stand)             | 85.9 mm                                                                |
| Feet colour                                  | Silver                 | Height (without stand)            | 392.8 mm                                                               |
| Ports & interfaces                           |                        | Weight (without stand)            | 6.98 kg                                                                |
| Built-in USB hub *                           | ✓                      | Bezel width (side)                | 8.66 mm                                                                |
| USB upstream port type                       | USB Type-C, USB Type-B | Bezel width (top)                 | 8.7 mm                                                                 |
| Number of USB Type-B upstream ports quantity | 1                      | Bezel width (bottom)              | 1.71 cm                                                                |
| Number of USB Type-C upstream ports quantity | 1                      | Packaging data                    |                                                                        |
| USB Type-A downstream ports quantity         | 2                      | Package weight                    | 14.6 kg                                                                |
| USB Type-C DisplayPort Alternate Mode        | ✓                      | Packaging content                 |                                                                        |
| USB Power Delivery (USB PD)                  | ✓                      | Stand included                    | ✓                                                                      |
| USB Power Delivery up to                     | 90 W                   | Cables included                   | Power, DisplayPort, USB Type-A to USB Type-B, USB Type-C to USB Type-C |
| HDMI *                                       | ✓                      | DisplayPort cable length          | 1.8 m                                                                  |
| HDMI ports quantity                          | 1                      | Sustainability                    |                                                                        |
| HDMI version                                 | 2.1                    | Sustainability certificates       | ENERGY STAR, TCO                                                       |
| DisplayPorts quantity                        | 1                      | Doesn't contain                   | PVC/BFR, Arsenic, Mercury                                              |
| DisplayPort out version                      | 1.4                    | Other features                    |                                                                        |
| Headphone out *                              | ✗                      | Compliance certificates           | RoHS                                                                   |
|                                              |                        | Certification                     | Teams, Zoom                                                            |



5397321029014

### Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.