



## Canon EOS 4000D SLR Camera Body 18 MP 5184 x 3456 pixels Black

**Brand :** Canon

**Product family:** EOS

**Product code:** 3011C001

**Product name :** 4000D

18 MP, 3:2, DIGIC 4+, EF/EF-S, ISO 100-12800, AWB, 2.7" TFT LCD, JPEG 5184x3456, MOV 1920x1080, USB, Wi-Fi, Mini HDMI C, SD/SDHC/SDXC, Li-Ion, 129x101.6x77.1 mm

Canon EOS 4000D. Camera type: SLR Camera Body, Megapixel (approx.): 18 MP, Maximum image resolution: 5184 x 3456 pixels. ISO sensitivity (max): 12800. Fastest camera shutter speed: 1/4000 s. Wi-Fi. HD type: Full HD, Maximum video resolution: 1920 x 1080 pixels. Display diagonal: 6.86 cm (2.7"). Viewfinder type: Electronic, Optical. PictBridge. Weight: 436 g. Product colour: Black




| Picture quality                  |                                                                                                                                                                                                                                                            | Display                          |                                                                           |
|----------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------|---------------------------------------------------------------------------|
| Camera type *                    | SLR Camera Body                                                                                                                                                                                                                                            | Display diagonal (metric)        | 6.8 cm                                                                    |
| Megapixel (approx.) *            | 18 MP                                                                                                                                                                                                                                                      | Display resolution (numeric)     | 230000 pixels                                                             |
| Maximum image resolution *       | 5184 x 3456 pixels                                                                                                                                                                                                                                         | Display aspect ratio             | 4:3                                                                       |
| Still image resolution(s) *      | 5184 x 3456, 3456 x 2304, 2592 x 1728, 1920 x 1280, 720 x 480, 4608 x 3456, 3072 x 2304, 2304 x 1728, 1696 x 1280, 640 x 480, 5184 x 2912, 3456 x 1944, 2592 x 1456, 1920 x 1080, 720 x 400, 3456 x 3456, 2304 x 2304, 1728 x 1728, 1280 x 1280, 480 x 480 | Flip-out screen                  | ✗                                                                         |
|                                  |                                                                                                                                                                                                                                                            | Viewfinder                       |                                                                           |
|                                  |                                                                                                                                                                                                                                                            | Viewfinder type                  | Electronic, Optical                                                       |
|                                  |                                                                                                                                                                                                                                                            | Magnification                    | 0.8x                                                                      |
|                                  |                                                                                                                                                                                                                                                            | Ports & interfaces               |                                                                           |
| Image stabilizer *               | ✗                                                                                                                                                                                                                                                          | PictBridge *                     | ✓                                                                         |
| Supported aspect ratios          | 3:2                                                                                                                                                                                                                                                        | HDMI *                           | ✓                                                                         |
| Total megapixels                 | 18.7 MP                                                                                                                                                                                                                                                    | HDMI connector type              | Mini                                                                      |
| Image sensor size (W x H)        | 22.3 x 14.9 mm                                                                                                                                                                                                                                             | USB port                         | ✓                                                                         |
| Image formats supported *        | JPEG                                                                                                                                                                                                                                                       | Network                          |                                                                           |
| Lens system                      |                                                                                                                                                                                                                                                            | Bluetooth *                      | ✗                                                                         |
| Lens mount interface             | Canon EF, Canon EF-S                                                                                                                                                                                                                                       | Wi-Fi *                          | ✓                                                                         |
| Focusing                         |                                                                                                                                                                                                                                                            | Wi-Fi standards                  | 802.11b, 802.11g, Wi-Fi 4 (802.11n)                                       |
| Focus *                          | TTL                                                                                                                                                                                                                                                        | Near Field Communication (NFC) * | ✗                                                                         |
| Focus adjustment *               | Auto/Manual                                                                                                                                                                                                                                                | Camera                           |                                                                           |
| Auto focusing (AF) modes *       | AI Focus, Contrast Detection Auto Focus, One Shot Focus                                                                                                                                                                                                    | White balance *                  | Auto, Cloudy, Custom modes, Daylight, Flash, Fluorescent, Shade, Tungsten |
| Auto Focus (AF) points           | 9                                                                                                                                                                                                                                                          | Scene modes *                    | Close-up (macro), Food, Night portrait, Portrait, Sports, Landscape       |
| Auto Focus (AF) points selection | Auto, Manual                                                                                                                                                                                                                                               | Shooting modes *                 | Auto, Manual, Movie, Scene                                                |
| Smile detection                  | ✗                                                                                                                                                                                                                                                          | Self-timer delay *               | 2,10 s                                                                    |
| Auto Focus (AF) lock             | ✓                                                                                                                                                                                                                                                          | Multi burst mode                 | ✗                                                                         |
| Auto Focus (AF) assist beam      | ✓                                                                                                                                                                                                                                                          | Dioptrre correction              | ✓                                                                         |
| Exposure                         |                                                                                                                                                                                                                                                            | Dioptr adjustment (D-D)          | -1 - 1                                                                    |
| ISO sensitivity (min) *          | 100                                                                                                                                                                                                                                                        | Playback zoom (max)              | 10x                                                                       |
| ISO sensitivity (max) *          | 12800                                                                                                                                                                                                                                                      |                                  |                                                                           |
| ISO sensitivity                  | 100, 6400, 12800                                                                                                                                                                                                                                           |                                  |                                                                           |
| Light exposure modes *           | Auto, Manual                                                                                                                                                                                                                                               |                                  |                                                                           |
| Light exposure control           | Program AE                                                                                                                                                                                                                                                 |                                  |                                                                           |
| Light exposure correction *      | ± 5EV (1/2EV; 1/3EV step)                                                                                                                                                                                                                                  |                                  |                                                                           |

| Exposure                       |                                                                                                                | Camera                              |                                                                                                                                                                                                                                                    |
|--------------------------------|----------------------------------------------------------------------------------------------------------------|-------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Light metering *               | Centre-weighted, Evaluative (Multi-pattern), Partial                                                           | Languages support                   | Arabic, Simplified Chinese, Traditional Chinese, Czech, Danish, German, Dutch, English, Spanish, Finnish, French, Greek, Hungarian, Italian, Japanese, Korean, Norwegian, Polish, Portuguese, Romanian, Russian, Swedish, Thai, Turkish, Ukrainian |
| Auto Exposure (AE) lock        | ✔                                                                                                              |                                     |                                                                                                                                                                                                                                                    |
| Shutter                        |                                                                                                                |                                     |                                                                                                                                                                                                                                                    |
| Fastest camera shutter speed * | 1/4000 s                                                                                                       |                                     |                                                                                                                                                                                                                                                    |
| Slowest camera shutter speed * | 30 s                                                                                                           | Histogram                           | ✔                                                                                                                                                                                                                                                  |
| Camera shutter type            | Electronic                                                                                                     |                                     |                                                                                                                                                                                                                                                    |
| Flash                          |                                                                                                                |                                     |                                                                                                                                                                                                                                                    |
| Flash modes *                  | Auto, Flash off, Flash on, Manual                                                                              |                                     |                                                                                                                                                                                                                                                    |
| Flash exposure lock            | ✔                                                                                                              | GPS (satellite)                     | ✘                                                                                                                                                                                                                                                  |
| Flash guide number             | 9.2 m                                                                                                          | Orientation sensor                  | ✔                                                                                                                                                                                                                                                  |
| Flash recharging time          | 2 s                                                                                                            | Camera file system                  | DPOF 1.1, Exif 2.3, Raw                                                                                                                                                                                                                            |
| External flash connector       | ✔                                                                                                              | Anti-dust function                  | ✔                                                                                                                                                                                                                                                  |
| Flash sync-speed               | 1/200 s                                                                                                        | Eye relief                          | 2.1 cm                                                                                                                                                                                                                                             |
| Flash exposure compensation    | ✔                                                                                                              | Playback modes                      | Repeat, Zoom                                                                                                                                                                                                                                       |
| Flash exposure correction      | ±2EV (1/2, 1/3 EV step)                                                                                        | Slideshow                           | ✔                                                                                                                                                                                                                                                  |
| Shoe mounting point            | ✔                                                                                                              | Image processor                     | DIGIC 4+                                                                                                                                                                                                                                           |
| Shoe mounting point type       | Hot shoe                                                                                                       | Windows operating systems supported | Windows 10, Windows 7, Windows 8.1                                                                                                                                                                                                                 |
| Video                          |                                                                                                                | Mac operating systems supported     | Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra                                                                                                                                                                          |
| Video recording *              | ✔                                                                                                              | Design                              |                                                                                                                                                                                                                                                    |
| Maximum video resolution *     | 1920 x 1080 pixels                                                                                             | Product colour *                    | Black                                                                                                                                                                                                                                              |
| HD type *                      | Full HD                                                                                                        | Dustproof                           | ✘                                                                                                                                                                                                                                                  |
| Video resolutions              | 640 x 480,1280 x 720,1920 x 1080                                                                               | Freezeproof                         | ✘                                                                                                                                                                                                                                                  |
| Video recording time           | 29.59 min                                                                                                      | Shock-resistant                     | ✘                                                                                                                                                                                                                                                  |
| Motion JPEG frame rate         | 60 fps                                                                                                         | Material                            | Polycarbonate                                                                                                                                                                                                                                      |
| Resolution at capture speed    | 640x480@25fps, 640x480@30fps, 1280x720@50fps, 1280x720@60fps, 1920x1080@25fps, 1920x1080@30fps, 1920x810@24fps | Battery                             |                                                                                                                                                                                                                                                    |
|                                |                                                                                                                | Battery technology *                | Lithium-Ion (Li-Ion)                                                                                                                                                                                                                               |
|                                | Video formats supported                                                                                        | H.264, MOV                          | Number of batteries supported                                                                                                                                                                                                                      |
| Audio                          |                                                                                                                | Battery level indicator             | ✔                                                                                                                                                                                                                                                  |
| Built-in microphone *          | ✔                                                                                                              | Operational conditions              |                                                                                                                                                                                                                                                    |
| Memory                         |                                                                                                                | Operating temperature (T-T)         | 0 - 40 °C                                                                                                                                                                                                                                          |
| Compatible memory cards *      | SD, SDHC, SDXC                                                                                                 | Operating relative humidity (H-H)   | 0 - 85%                                                                                                                                                                                                                                            |
| Display                        |                                                                                                                | Weight & dimensions                 |                                                                                                                                                                                                                                                    |
| Display *                      | TFT                                                                                                            | Width                               | 101.6 mm                                                                                                                                                                                                                                           |
| Touchscreen *                  | ✘                                                                                                              | Depth                               | 77.1 mm                                                                                                                                                                                                                                            |
| Display diagonal *             | 6.86 cm (2.7")                                                                                                 | Height                              | 129 mm                                                                                                                                                                                                                                             |
|                                |                                                                                                                | Weight                              | 436 g                                                                                                                                                                                                                                              |
| Other features                 |                                                                                                                |                                     |                                                                                                                                                                                                                                                    |
|                                |                                                                                                                | Power source type                   | Battery                                                                                                                                                                                                                                            |
| Technical details              |                                                                                                                |                                     |                                                                                                                                                                                                                                                    |
|                                |                                                                                                                | Self-timer                          | ✔                                                                                                                                                                                                                                                  |



4549292116564



2000000680088

### Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.