



LG 49XE4P-B Signage Display Digital signage flat panel 124.5 cm (49") LED Wi-Fi 4000 cd/m² Full HD Black WebOS 24/7

Brand : LG


Product code: 49XE4P-B

Product name : 49XE4P-B

- UL Verified Display Anti-discoloration characteristics
- Resolution : 1,920 x 1,080 (FHD)
- Brightness : 4,000 nits (Typ.), 3,200 nits (Min.)
- Portrait / Landscape
- Temperature Sensor
- Auto Brightness Sensor

49", Direct-LED, IPS, 1920 x 1080, Full HD, 16:9, 4000 cd/m², 460 W, 100-240 V, 50-60 Hz, 1365 BTU/h, 8 ms, 1000:1/500000:1, 178°/178°, 10.7 mil, 16 GB, WebOS 6.1, 50000 h, 60 Hz, 3%, 1 x HDMI, 1 x DisplayPort, 2 x USB-A, RS-232C, Ethernet LAN, Wi-Fi, HDBaseT, 2 x 10 W, RJ-45, 62 dB, 24/7, HDCP 2.2, IP56, SNMP, 10-bit, 72%, Black, 1153 x 88 x 656,2 mm, 31,2 kg

LG 49XE4P-B. Product design: Digital signage flat panel. Display diagonal: 124.5 cm (49"), Display technology: LED, Display resolution: 1920 x 1080 pixels, Display brightness: 4000 cd/m², HD type: Full HD. Wi-Fi. Operating hours (hours/days): 24/7. Operating system installed: WebOS. Product colour: Black



Display		Performance	
Panel type	IPS	HDCP	✓
LED backlight	✓	International Protection (IP) code	IP56
LED backlighting type	Direct-LED	HDCP version	2.2
Display diagonal *	124.5 cm (49")	Power	
Display technology *	LED	Power consumption (typical) *	190 W
Display resolution *	1920 x 1080 pixels	Power consumption (off)	0.5 W
Display brightness *	4000 cd/m²	Power consumption (max)	400 W
HD type *	Full HD	AC input voltage	100-240 V
Native aspect ratio	16:9	AC input frequency	50-60 Hz
Response time	8 ms	Heat generation (typical)	1024 BTU/h
Contrast ratio (typical)	1300:1	Heat generation (max)	1194 BTU/h
Contrast ratio (dynamic)	500000:1	Computer system	
Viewing angle, horizontal	178°	Internal memory	16 GB
Viewing angle, vertical	178°	Operating system installed	WebOS
Display number of colours	10.7 billion colours	Operating system version	6.1
Rated lifetime	50000 h	Weight & dimensions	
Colour depth	10 bit	Display width	1153 mm
Native refresh rate	60 Hz	Display depth	88 mm
Haze rate	3%	Display height	656.2 mm
Glass thickness	5 mm	Display weight	31.2 kg
Colour gamut	67%	Packaging data	
Ports & interfaces		Package width	1287 mm
HDMI ports quantity *	1	Package depth	207 mm
DisplayPorts quantity *	1	Package height	797 mm
USB port *	✓	Packaging content	
USB ports quantity	2	Remote control included	✓
USB version	2.0	Cables included	HDMI, Power
USB connector type	USB Type-A	Operational conditions	
Ethernet LAN (RJ-45) ports	1	Operating temperature (T-T)	-30 - 50 °C
RS-232C	✓	Operating relative humidity (H-H)	5 - 100%
HDBaseT input ports	1	Battery	
Audio		Battery system included	✓
Built-in speaker(s) *	✓		
Number of built-in speakers	2		

Audio		Network	
RMS rated power	10 W	Ethernet LAN *	✓
Sound pressure level	62 dB	Wi-Fi *	✓
Design		Security algorithms	SNMP
Product design *	Digital signage flat panel	Technical details	
Placement supported *	Indoor	Compliance certificates	CB, Federal Communications Commission (FCC)
Product colour *	Black	Other features	
Performance		LED indicators	Power
Purpose *	Corporate	Glass protection	✓
On Screen Display (OSD)	✓	Built-in brightness sensor	✓
Number of OSD languages	20	Screws included	✓
Operating hours (hours/days)	24/7	Plug and Play	✓



0195174131503



195174131503



8806096613146

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.