



DELL Pro E2726DS computer monitor 68.6 cm (27") 2560 x 1440 pixels Quad HD LCD Black

Brand : DELL

Product family: Pro

Product code: DELL-E2726DS

Product name : E2726DS

- 68.6cm (27") Quad HD 2560 x 1440 IPS
- 8ms, 16:9, 300cd/m², 1000:1
- HDMI, DisplayPort
- 68.6cm (27") Quad HD 2560 x 1440 IPS, 16:9, 300cd/m², 16.7M, 8ms, 178°/178°, 1000:1

DELL Pro E2726DS computer monitor 68.6 cm (27") 2560 x 1440 pixels Quad HD LCD Black:

Get the essentials to enhance productivity with this 27-inch, height-adjustable, QHD monitor certified by TÜV Rheinland® for 3-star eye comfort.

DELL Pro E2726DS. Display diagonal: 68.6 cm (27"), Display resolution: 2560 x 1440 pixels, HD type: Quad HD, Display technology: LCD, Response time: 8 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in speaker(s). VESA mounting, Height adjustment. Product colour: Black



Display		Ergonomics	
Display diagonal *	68.6 cm (27")	Cable management	✓
Display resolution *	2560 x 1440 pixels	Cable lock slot *	✓
HD type *	Quad HD	Height adjustment *	✓
Native aspect ratio *	16:9	Adjustable height (max)	13 cm
Display technology *	LCD	Pivot	✓
Panel type *	IPS	Pivot angle	-90 - 90°
LED backlight	✓	Swivelling	✓
Touchscreen *	✗	Swivel angle range	-173 - 173°
Display brightness (typical)	300 cd/m ²	Tilt adjustment	✓
Response time *	8 ms	Tilt angle range	-5 - 21°
Response time measurement type	GTG (Gray to Gray)	On Screen Display (OSD)	✓
Anti-glare screen	✓	Plug and Play	✓
Screen shape *	Flat		
Supported graphics resolutions	640 x 480 (VGA), 800 x 600 (SVGA), 1024 x 768 (XGA), 1152 x 864 (XGA+), 1280 x 1024 (SXGA), 1280 x 720 (HD 720), 1600 x 1200 (UXGA), 1600 x 900, 1920 x 1080 (HD 1080), 2560 x 1440	Power	
		Energy efficiency class (SDR) *	E
Supported video modes	480p, 576p, 720p, 1080p	Energy efficiency class (HDR) *	Not available
Contrast ratio (typical) *	1000:1	Energy consumption (SDR) per 1000 hours *	22 kWh
Maximum refresh rate *	100 Hz	Power consumption (typical) *	21.5 W
Viewing angle, horizontal	178°	Power consumption (standby) *	0.3 W
Viewing angle, vertical	178°	Power consumption (max)	48 W
Display number of colours *	16.7 million colours	Power consumption (off)	0.3 W
Response time (fast)	5 ms	AC input voltage	100 - 240 V
Pixel pitch	0.2331 x 0.2331 mm	AC input frequency	50/60 Hz
Pixel density	109 ppi	Input current	1.2 A
Viewable size, horizontal	59.7 cm	Power supply type	Internal
Viewable size, vertical	33.6 cm	Energy efficiency scale	A to G
Digital horizontal frequency	30 - 151 kHz	Operational conditions	
Digital vertical frequency	48 - 100 Hz	Operating temperature (T-T)	0 - 40 °C
Surface hardness	3H	Storage temperature (T-T)	-20 - 60 °C
		Operating relative humidity (H-H)	10 - 80%

Display		Operational conditions	
NTSC coverage (typical)	72%	Storage relative humidity (H-H)	5 - 90%
Performance		Operating altitude	0 - 5000 m
NVIDIA G-SYNC *	✗	Non-operating altitude	5000 - 12192 m
AMD FreeSync *	✗	Weight & dimensions	
Flicker-free technology	✓	Width (with stand)	612.4 mm
Low Blue Light technology	✓	Depth (with stand)	211.6 mm
Multimedia		Height (with stand)	515.6 mm
Number of speakers	2	Weight (with stand)	4.74 kg
RMS rated power	4 W	Width (without stand)	612.4 mm
Built-in speaker(s) *	✓	Depth (without stand)	51.8 mm
Built-in camera *	✗	Height (without stand)	356.8 mm
Design		Weight (without stand)	3.23 kg
Market positioning *	Office	Bezel width (side)	7.82 mm
Product colour *	Black	Bezel width (top)	7.82 mm
Front bezel colour	Black	Bezel width (bottom)	1.33 cm
Detachable stand	✓	Packaging data	
Feet colour	Black	Package weight	7.2 kg
Ports & interfaces		Packaging content	
Built-in USB hub *	✗	Stand included	✓
HDMI *	✓	Cables included	AC, HDMI
HDMI ports quantity	1	HDMI cable length	1.8 m
DisplayPorts quantity	1	Sustainability	
DisplayPort out version	1.4	Sustainability certificates	ENERGY STAR, TCO
Headphone out *	✗	Doesn't contain	Arsenic, Mercury, PVC/BFR
HDCP	✓	Other features	
HDCP version	1.4	Compliance certificates	RoHS
Ergonomics			
VESA mounting *	✓		
Panel mounting interface	100 x 100 mm		



5397321028833



0884116692461



884116692461

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.