TP-Link Tapo C411 KIT Bullet IP security camera Outdoor 2304 x 1296 pixels Ceiling/wall



Brand : TP-Link **Product family:** Tapo **Product code:** TAPO C411 KIT

Product name : C411 KIT

CMOS, 850 nm IR LED, Type-C, 2K 3MP (2304 × 1296 px), MicroSD, IEEE 802.11b/g/n, 2.4 GHz Wi-Fi, 100-240 V, 50/60 Hz, IP65
TP-Link Tapo C411 KIT. Type: IP security camera, Placement supported: Outdoor, Connectivity technology: Wireless. Mounting type: Ceiling/wall, Product colour: Black, Form factor: Bullet. Field of view (FOV) angle: 110°. Sensor type: CMOS, Optical sensor size: 25.4 / 2.8 mm (1 / 2.8"). Focal length range: 3.17 mm, Fixed focal length: 1.65 mm

Performance	
Type *	IP security camera
Placement supported *	Outdoor
Connectivity technology *	Wireless
Wide Dynamic Range (WDR)	✔
Virtual assistant	Amazon Alexa & Google Assistant
Built-in light	✔
Certification	CE, FCC, DOE, CEC, RCM, KC, NCC, BSMI, NTRA, IP65
Design	
Form factor *	Bullet
Mounting type *	Ceiling/wall
Product colour *	Black
International Protection (IP) code	IP65
Weatherproof	✔
Camera	
Field of view (FOV) angle	110°
Image sensor	
Number of sensors	1
Optical sensor size	25.4 / 2.8 mm (1 / 2.8")
Progressive scan	✔
Sensor type *	CMOS
Lens system	
Focal length range	3.17 mm
Fixed focal length	1.65 mm
Night vision	
Night vision *	✔
Night vision distance	9.1 m
LED type	IR
Infra-red wavelength	850 nm
Video	
Maximum resolution *	2304 x 1296 pixels
Total megapixels *	3 MP
Video formats supported	H.264
Frame rate	15 fps
Audio	
Built-in speaker(s)	✔

Network	
Works with Amazon Alexa	✔
Live view	✔
Storage	
Built-in HDD *	✘
Card reader integrated	✔
Compatible memory cards	MicroSD (TransFlash)
Maximum memory card size	512 GB
Security	
Built-in siren	✔
Siren noise level	94 dB
Video motion detection	✔
Security algorithms	128-bit AES, SSL/TLS, WPA, WPA2-PSK
Management features	
Reset button	✔
Power	
Power source type *	Battery, Solar
AC input voltage	100-240 V
AC input frequency	50/60 Hz
DC output voltage	5
DC output current	1 A
Battery	
Battery technology	Lithium-Ion (Li-Ion)
Rechargeable battery	✔
Operational conditions	
Operating temperature (T-T)	-20 - 45 °C
Storage temperature (T-T)	-20 - 60 °C
Operating relative humidity (H-H)	10 - 90%
Storage relative humidity (H-H)	5 - 90%
Weight & dimensions	
Height	89 mm
Diameter	6 cm
Packaging content	
Number of cameras *	1
Cables included	USB
Mounting kit	✔

Audio	
Built-in microphone	✔

Network	
Ethernet LAN *	✘
Wi-Fi *	✔
Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n)
Bluetooth *	✘
Works with the Google Assistant	✔

Packaging content	
Mounting brackets included	✔
Screws included	✔
Manual	✔
Packaging content	Tapo C411 Camera ×1 Tapo A201 Solar Panel ×1 Tapo A201 Solar Panel Bracket ×1 USB Adapter Cable ×1 Base Cover ×1 Extension Wire ×1 Mounting Screws ×6 Mounting Anchors ×6 Waterproof Seals ×2 Screw Caps ×2 Cable Zip Tie ×1 Mounting Template Stickers ×2 Quick Start Guide

1210002606776

1210002606783

1210002606769

Catalog Object Cloud

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.

Publication date: 14-NOV-2026. Prints or copies of Information are only valid on the printed Publication date