

## Epson EcoTank L6550 Inkjet A4 4800 x 2400 DPI 32 ppm Wi-Fi

**Brand :** Epson

**Product family:** EcoTank

**Product code:** C11CJ30402

**Product name :** L6550

Epson EcoTank L6550. Print technology: Inkjet, Printing: Colour printing, Maximum resolution: 4800 x 2400 DPI, Print speed (colour, normal quality, A4/US Letter): 22 ppm. Copying: Colour copying. Scanning: Colour scanning, Optical scanning resolution: 1200 x 2400 DPI. Faxing: Colour faxing. Maximum ISO A-series paper size: A4. Wi-Fi. Direct printing. Product colour: Black



| Printing                                                  |                       | Input & output capacity                   |                                                                    |
|-----------------------------------------------------------|-----------------------|-------------------------------------------|--------------------------------------------------------------------|
| Duplex printing mode                                      | Auto                  | Total input capacity *                    | 550 sheets                                                         |
| Print technology *                                        | Inkjet                | Auto document feeder (ADF)                | ✓                                                                  |
| Printing *                                                | Colour printing       | Auto document feeder (ADF) input capacity | 50 sheets                                                          |
| Duplex printing *                                         | ✓                     | <b>Paper handling</b>                     |                                                                    |
| Maximum resolution *                                      | 4800 x 2400 DPI       | Maximum ISO A-series paper size *         | A4                                                                 |
| Print speed (black, normal quality, A4/US Letter) *       | 32 ppm                | Paper tray media types *                  | Envelopes, Plain paper                                             |
| Print speed (colour, normal quality, A4/US Letter)        | 22 ppm                | ISO A-series sizes (A0...A9) *            | A4, A5, A6                                                         |
| Duplex print speed (black, normal quality, A4/US Letter)  | 16 ppm                | ISO B-series sizes (B0...B9)              | B5, B6                                                             |
| Duplex print speed (colour, normal quality, A4/US Letter) | 9 ppm                 | Non-ISO print media sizes                 | Legal, Letter                                                      |
| Time to first page (black, normal)                        | 5.5 s                 | Envelopes sizes                           | 10, C4, C6, DL                                                     |
| Time to first page (colour, normal)                       | 9.5 s                 | Paper tray media weight                   | 64 - 255 g/m <sup>2</sup>                                          |
| Copying                                                   |                       | <b>Ports &amp; interfaces</b>             |                                                                    |
| Duplex copying *                                          | ✓                     | Direct printing *                         | ✓                                                                  |
| Copying *                                                 | Colour copying        | USB port                                  | ✓                                                                  |
| Scanning                                                  |                       | <b>Network</b>                            |                                                                    |
| Duplex scanning *                                         | ✓                     | Wi-Fi *                                   | ✓                                                                  |
| Scanning *                                                | Colour scanning       | Ethernet LAN *                            | ✓                                                                  |
| Optical scanning resolution *                             | 1200 x 2400 DPI       | Wi-Fi standards                           | 802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac)   |
| Scanner type *                                            | Flatbed & ADF scanner | Security algorithms                       | 64-bit WEP, 128-bit WEP, WPA-PSK, WPA-TKIP                         |
| Scan technology                                           | CIS                   | Mobile printing technologies              | Epson Connect, Epson Email Print, Epson Remote Print, Epson iPrint |
| Scan to                                                   | Cloud                 | <b>Design</b>                             |                                                                    |
| Image formats supported                                   | BMP, JPEG, PNG, TIFF  | Product colour *                          | Black                                                              |
| Document formats supported                                | PDF                   | Market positioning *                      | Home & office                                                      |
| Fax                                                       |                       | Built-in display *                        | ✓                                                                  |
| Faxing *                                                  | Colour faxing         | Display                                   | LCD                                                                |
| Fax transmission speed                                    | 3 sec/page            |                                           |                                                                    |

| Fax                           |                              | Design                                            |                |
|-------------------------------|------------------------------|---------------------------------------------------|----------------|
| Modem speed                   | 33.6 Kbit/s                  | Display diagonal                                  | 10.9 cm (4.3") |
| Fax memory                    | 550 pages                    | Control type                                      | Touch          |
| Auto-redialing                | ✓                            | Colour display                                    | ✓              |
| Speed dialling                | ✓                            | Power                                             |                |
| Fax forwarding                | ✓                            | Power consumption (copying)                       | 19 W           |
| Error Correction Mode (ECM)   | ✓                            | Power consumption (ready)                         | 8.3 W          |
| Features                      |                              | Power consumption (sleep)                         | 0.8 W          |
| Ink tank system               | ✓                            | Power consumption (off)                           | 0.2 W          |
| Printing colours *            | Black, Cyan, Magenta, Yellow | Energy Star Typical Electricity Consumption (TEC) | 0.13 kWh/week  |
| Input & output capacity       |                              | AC input voltage                                  | 100 - 240 V    |
| Total number of input trays * | 3                            | AC input frequency                                | 50 - 60 Hz     |
|                               |                              | Weight & dimensions                               |                |
|                               |                              | Width                                             | 425 mm         |
|                               |                              | Depth                                             | 500 mm         |
|                               |                              | Height                                            | 350 mm         |
|                               |                              | Weight                                            | 17.5 kg        |



8715946676463

### Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.