

Canon PIXMA TR7650 Inkjet A4 4800 x 1200 DPI Wi-Fi

Brand : Canon

Product family: PIXMA

Product code: 4452C026

Product name : TR7650

- Wi-Fi
 - 5 Individual inks
 - Front & rear paper feeding
 - Canon PRINT app
 - 7.5cm touch screen
 - 20 sheet ADF
 - Borderless Photo Printing
 - Cloud Printing & Scanning
- Compact 4-in-One home office printer with simple Wi-Fi and cloud connectivity for print, copy, scan and fax productivity

Canon PIXMA TR7650 Inkjet A4 4800 x 1200 DPI Wi-Fi:

The compact, versatile and well-connected 4-In-1

Ideal for home office printing, this productive multifunction printer supports print, copy, scan and fax with 5-Colour individual ink system and simple Wi-Fi, mobile and cloud connectivity options.

Canon PIXMA TR7650. Print technology: Inkjet, Printing: Colour printing, Maximum resolution: 4800 x 1200 DPI. Copying: Colour copying. Scanning: Colour scanning, Optical scanning resolution: 1200 x 2400 DPI. Faxing: Colour faxing. Duplex functions: Copy, Print. Maximum ISO A-series paper size: A4. Wi-Fi. Direct printing. Product colour: Black



Printing		Paper handling	
Duplex printing mode	Auto	Non-ISO print media sizes	Legal, Letter
Print technology *	Inkjet	Envelopes sizes	10, DL
Printing *	Colour printing	Borderless printing media sizes	4x6, 5x7, 8x10, A4, B5, Letter
Duplex printing *	✓	Custom media width	55 - 215.9 mm
Maximum resolution *	4800 x 1200 DPI	Custom media length	89 - 676 mm
Print speed (ISO/IEC 24734) mono	15 ipm	Paper tray media weight	64 - 105 g/m ²
Print speed (ISO/IEC 24734) colour	30 ipm		
Borderless printing	✓		
Copying		Ports & interfaces	
Duplex copying *	✓	Direct printing *	✓
Duplex copying mode	Manual	USB port	✓
Copying *	Colour copying	USB connector	USB Type-B
Maximum number of copies	99 copies		
Copier resize	25 - 400%		
N-in-1 copy function	✓		
N-in-1 copy function (N=)	2, 4		
ID-card copy function	✓		
Scanning		Network	
Scanning *	Colour scanning	Wi-Fi *	✓
Optical scanning resolution *	1200 x 2400 DPI	Ethernet LAN *	✗
Scanner type *	Flatbed & ADF scanner	Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n)
Scan technology	CIS	Security algorithms	64-bit WEP, 128-bit WEP, WPA-AES, WPA-PSK, WPA-TKIP, WPA2-AES, WPA2-PSK, WPA2-TKIP
Input colour depth	16 bit	Mobile printing technologies	Apple AirPrint, Canon Easy-PhotoPrint, Mopria Print Service, PIXMA Cloud Link
Output colour depth	8 bit		
Input greyscale depth	16 bit		
Output greyscale depth	8 bit		
		Design	
		Product colour *	Black
		Market positioning *	Home & office
		Built-in display *	✓
		Display	LCD
		Display diagonal	8.89 cm (3.5")
		Control type	Touch
		Colour display	✓

Fax		Power	
Faxing *	Colour faxing	Power consumption (copying)	13 W
Fax resolution (colour)	200 x 200 DPI	Power consumption (off)	0.3 W
Modem speed	33.6 Kbit/s	Energy Star Typical Electricity Consumption (TEC)	0.2 kWh/week
Speed dialling	✓	AC input voltage	220 - 240 V
Features		AC input frequency	50/60 Hz
Duplex functions *	Copy, Print	System requirements	
Number of print cartridges *	5	Windows operating systems supported	Windows 10, Windows 11, Windows 8.1
Printing colours *	Black, Cyan, Magenta, Pigment black, Yellow		Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 10.15.3 Catalina, Mac OS X 10.2 Jaguar, Mac OS X 10.3 Panther, Mac OS X 10.4 Tiger, Mac OS X 10.5 Leopard, Mac OS X 10.6 Snow Leopard, Mac OS X 10.7 Lion, Mac OS X 10.7.5 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks, Mac OS X 11.0 Big Sur, Mac OS X 12.0 Monterey, Mac OS X 13.0 Ventura, Mac OS X 14.0 Sonoma
Input & output capacity		Mac operating systems supported	
Total number of input trays *	1		
Total input capacity *	100 sheets		
Auto document feeder (ADF)	✓		
Auto document feeder (ADF) input capacity	20 sheets		
Paper handling		Mobile operating systems supported	Android, iOS
Maximum ISO A-series paper size *	A4	Other operating systems supported	ChromeOS, iPadOS
Paper tray media types *	Envelopes, Glossy paper, Matte paper, Photo paper, Plain paper	Operational conditions	
ISO A-series sizes (A0...A9) *	A4, A5	Operating relative humidity (H-H)	10 - 80%
ISO B-series sizes (B0...B9)	B5	Operating temperature (T-T)	15 - 30 °C
		Weight & dimensions	
		Width	438 mm
		Depth	350 mm
		Height	190 mm
		Weight	7.9 kg



4549292233407

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.