

Brother MFC-J2340DW multifunction printer Inkjet A3 1200 x 4800 DPI Wi-Fi

Brand : Brother

Product code: MFC-J2340DW

Product name : MFC-J2340DW

Brother MFC-J2340DW. Print technology: Inkjet, Printing: Colour printing, Maximum resolution: 1200 x 4800 DPI. Copying: Colour copying, Maximum copy resolution: 1200 x 4800 DPI. Scanning: Colour scanning, Optical scanning resolution: 1200 x 2400 DPI. Faxing: Colour faxing. Duplex functions: Print. Maximum ISO A-series paper size: A3. Wi-Fi. Direct printing. Product colour: Black



Printing		Paper handling	
Duplex printing mode	Auto	Borderless printing media sizes	Index card
Print technology *	Inkjet	Custom media width	105 - 215.9 mm
Printing *	Colour printing	Custom media length	148 - 355.6 mm
Duplex printing *	✓	Paper tray media weight	64 - 220 g/m ²
Maximum resolution *	1200 x 4800 DPI	Multi-Purpose Tray media weight	64 - 220 g/m ²
Print speed (ISO/IEC 24734) mono	28 ipm	Auto Document Feeder (ADF) media weight	64 - 90 g/m ²
Print speed (ISO/IEC 24734) colour	28 ipm	Ports & interfaces	
Time to first page (black, normal)	4.4 s	Direct printing *	✓
Time to first page (colour, normal)	4.6 s	USB port	✓
Secure printing	✓	Network	
Copying		Wi-Fi *	✓
Duplex copying *	✓	Ethernet LAN *	✗
Copying *	Colour copying	Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n)
Maximum copy resolution *	1200 x 4800 DPI	Wi-Fi Direct	✓
Maximum number of copies	999 copies	Security algorithms	64-bit WEP, 128-bit WEP, WPA-PSK, WPA2-PSK, WPA3-SAE
Copier resize	25 - 400%	Mobile printing technologies	Apple AirPrint, Brother iPrint & Scan, Google Cloud Print, Mopria Print Service
N-in-1 copy function	✓	Performance	
Scanning		Card reader integrated	✗
Duplex scanning *	✓	Internal memory *	256 MB
Scanning *	Colour scanning	Design	
Optical scanning resolution *	1200 x 2400 DPI	Product colour *	Black
Maximum scan resolution	19200 x 19200 DPI	Market positioning *	Home & office
Scanner type *	Flatbed & ADF scanner	Built-in display *	✓
Scan technology	CIS		
Scan to	E-mail, E-mail Server, FTP, File, Image, OCR, USB		

Fax		Design	
Faxing *	Colour faxing	Display	TFT
Fax transmission speed	14.4 sec/page	Display diagonal	6.86 cm (2.7")
Fax memory	150 pages	Touchscreen	✓
Fax speed dialing (max numbers)	150	Control type	Touch
Fax forwarding to	E-mail, Fax, PC	Colour display	✓
Features		Power	
Duplex functions *	Print	Power consumption (printing)	29 W
Digital sender	✗	Power consumption (ready)	5.5 W
Number of print cartridges *	4	Power consumption (sleep)	0.9 W
Printing colours *	Black, Cyan, Magenta, Yellow	Power consumption (off)	0.03 W
Input & output capacity		AC input voltage	220 - 240 V
Total number of input trays *	2	AC input frequency	50/60 Hz
Total input capacity *	301 sheets	System requirements	
Total output capacity *	100 sheets	Windows operating systems supported	Windows 10, Windows 7, Windows 8, Windows 8.1
Multi-Purpose tray	✓	Mac operating systems supported	Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 10.15.3 Catalina, Mac OS X 11.0 Big Sur, Mac OS X 12.0 Monterey, Mac OS X 13.0 Ventura, Mac OS X 14.0 Sonoma
Multi-Purpose tray input capacity	1 sheets		
Paper input type	Paper tray	Server operating systems supported	Windows Server 2008, Windows Server 2008 R2, Windows Server 2012, Windows Server 2012 R2
Auto document feeder (ADF)	✓		
Auto document feeder (ADF) input capacity	50 sheets		
Manual feeder	✓		
Paper handling		Weight & dimensions	
Maximum ISO A-series paper size *	A3	Width	530 mm
Paper tray media types *	Coated paper, Executive, Glossy paper, Letterhead, Plain paper, Recycled paper	Depth	398 mm
		Height	305 mm
ISO A-series sizes (A0...A9) *	A3, A4, A5, A6	Weight	17 kg
ISO B-series sizes (B0...B9)	B6	Packaging data	
ISO C-series sizes (C0...C9)	C5	Quantity per pack	1 pc(s)
Envelopes sizes	Com-10, DL, Monarch	Packaging content	
Photo paper sizes	9x13,10x15,13x18	Cartridge(s) included	✓
		Included cartridge capacity (black)	1 pages
		Included cartridge capacity (CMY)	4 pages
		Cables included	Phone
		Power cord included	✓
		Other features	
		Safety	APOP*, SMTP-AUTH, SSL/TLS (IPPS, HTTPS,FTPS, SMTP, POP3*, IMAP4*), SNMP v3 802.1x (EAP-MD5, EAP-FAST, PEAP, EAP-TLS, EAP-TTLS)
		Noise level	51.5 dB
		Software CD	✓



4977766817707

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.