

Brother MFC-L2860DWE EcoPro Ready All-in-One Mono Laser Printer

Brand : Brother

Product code: MFC-L2860DWE

Product name : MFC-L2860DWE EcoPro Ready All-in-One Mono Laser Printer


- Print up to 34 pages per minute
- Scan up to 22.5 images per minute³
- 6.8cm colour touchscreen
- Fast ethernet, 5GHz Wi-Fi, USB, Brother Mobile Connect app
- 50 Sheet Automatic Document Feeder (ADF)¹¹
- 250 sheet paper input tray¹¹

Seamless setup and connectivity, delivering impeccable print speeds of up to 34 pages per minute Brother MFC-L2860DWE EcoPro Ready All-in-One Mono Laser Printer. Print technology: Laser, Printing: Mono printing, Maximum resolution: 1200 x 1200 DPI. Copying: Mono copying, Maximum copy resolution: 600 x 600 DPI. Scanning: Colour scanning, Optical scanning resolution: 1200 x 1200 DPI. Faxing: Mono faxing. Duplex functions: Print. Maximum ISO A-series paper size: A4. Wi-Fi. Direct printing. Product colour: Black




Printing		Paper handling	
Duplex printing mode	Auto	Paper tray media weight	60 - 230 g/m ²
Print technology *	Laser	Ports & interfaces	
Printing *	Mono printing	Direct printing *	✓
Duplex printing *	✓	USB port	✓
Maximum resolution *	1200 x 1200 DPI	USB 2.0 ports quantity	1
Print speed (black, normal quality, A4/US Letter) *	34 ppm	Network	
Time to first page (black, normal)	8.5 s	Wi-Fi *	✓
N-in-1 print function	✓	Ethernet LAN *	✓
N-up printing	2, 4	Cabling technology	10/100Base-T(X)
Watermark printing	✓	Ethernet LAN data rates	10,100 Mbit/s
Secure printing	✓	Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n)
Booklet printing function	✓	Wi-Fi Direct	✓
Poster printing function	✓	Security algorithms	WPA2-AES, 64-bit WEP, WPA2-PSK, 128-bit WEP, WPA3-SAE, WPA-AES, WPA-PSK, WPA-TKIP
Copying		Mobile printing technologies	Brother iPrint & Scan
Duplex copying *	✗	Performance	
Copying *	Mono copying	Internal memory *	256 MB
Maximum copy resolution *	600 x 600 DPI	Sound pressure level (printing)	49 dB
Scanning		Sound pressure level (quiet mode)	44 dB
Duplex scanning *	✗	Design	
Scanning *	Colour scanning	Product colour *	Black
Optical scanning resolution *	1200 x 1200 DPI	Market positioning *	Home & office
Optical scanning resolution (ADF)	600 x 600 DPI	Built-in display *	✓
Scanner type *	ADF scanner	Display	LCD
Scan technology	CIS	Display diagonal	6.78 cm (2.67")
Scan to	E-mail, E-mail Server, File, Network folder	Control type	Touch
Scan speed (colour)	7.5 ppm		

Fax		Design	
Faxing *	Mono faxing	Colour display	✓
Modem speed	33.6 Kbit/s		
Fax memory	500 pages		
Features		Power	
Maximum duty cycle *	2500 pages per month	Power consumption (printing)	470 W
Duplex functions *	Print	Power consumption (copying)	490 W
Number of print cartridges *	1	Power consumption (ready)	43 W
Printing colours *	Black	Power consumption (sleep)	4.1 W
Page description languages	BR-Script 3, PCL 6, PDF 1.7	Power consumption (off)	0.08 W
Country of origin	Vietnam	Energy Star Typical Electricity Consumption (TEC)	0.39 kWh/week
Input & output capacity		Weight & dimensions	
Total number of input trays *	1	Width	517 mm
Total input capacity *	250 sheets	Depth	434 mm
Total output capacity *	120 sheets	Height	580 mm
Auto document feeder (ADF)	✓	Weight	11.8 kg
Auto document feeder (ADF) input capacity	50 sheets		
Paper handling		Packaging data	
Maximum ISO A-series paper size *	A4	Package width	580 mm
Paper tray media types *	Recycled paper, Thicker paper, Thin paper, Plain paper, Envelopes, Labels, Thick paper	Package depth	517 mm
ISO A-series sizes (A0...A9) *	A4, A6, A5	Package height	434 mm
ISO B-series sizes (B0...B9)	B5	Package weight	14.1 kg
Non-ISO print media sizes	16K, Executive		
JIS B-series sizes (B0...B9)	B6, B5		
Envelopes sizes	DL, Com-10, Monarch, C5		
Custom media width	105 - 216 mm		
Custom media length	147 - 356 mm		
		Logistics data	
		Pallet gross height	18.9 cm
		Pallet gross weight	252.2 kg
		Master (outer) cases per pallet	16 pc(s)
		Layers per pallet	4 pc(s)
		Products per pallet	16 pc(s)
		Technical details	
		Master (outer) cases per pallet layer	4 pc(s)
		Pallet type	1200 x 1000 mm
		Other features	
		Spare part retention	5 year(s)



4977766831307



4977766831314

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.