

Brother MFC-L5710DW multifunction printer Laser A4 1200 x 1200 DPI 48 ppm Wi-Fi

Brand : Brother

Product code: MFC-L5710DW

Product name : MFC-L5710DW

- Print up to 48 pages per minute
 - 2-Sided print, up to 24 sides per minute
 - 2-Sided scan, up to 56 images per minute³
 - Gigabit ethernet and 5GHz WiFi
 - 50 Sheet 2-Sided Automatic Document Feeder (ADF)¹¹
 - 250 sheet paper input tray expandable up to 1,290¹¹
- High-speed, high-quality, wireless mono laser business printing and scanning

Brother MFC-L5710DW multifunction printer Laser A4 1200 x 1200 DPI 48 ppm Wi-Fi:

Highly productive with fast, high-quality, wireless printing and scanning. Built for business, this intelligent multifunction printer is designed to deliver a user-friendly, professional experience that your business can depend on. Further enhance this printer with a suite of Brother and 3rd party solutions. 8.9cm Colour touchscreen 512MB internal memory Comes with 3,000 page yield toner, 11,000 maximum yield available⁷ Compatible with Brother and 3rd Party solutions include Kofax, YSoft and more¹⁹ Available under a managed print service (MPS) contract



Printing		Network		
Duplex printing mode	Auto	Wi-Fi *	✔	
Print technology *	Laser	Ethernet LAN *	✔	
Printing *	Mono printing	Cabling technology	10/100/1000Base-T(X)	
Duplex printing *	✔	Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n)	
Maximum resolution *	1200 x 1200 DPI	Security algorithms	WPA2-AES, 64-bit WEP, WPA2-PSK, 128-bit WEP, WPA2-TKIP, WPA3-SAE, WPA-AES, WPA-PSK, WPA-TKIP	
Print speed (black, normal quality, A4/US Letter) *	48 ppm	Supported network protocols (IPv4)	ARP, RARP, BOOTP, DHCP, APIPA (Auto IP), WINS/NetBIOS name resolution, DNS Resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/Port9100, POP3, SMTP Client, IPP/IPPS, FTP Client and Server, CIFS Client, TELNET Server, SNMPv1/v2c/v3, HTTP/HTTPS server TFTP client and server, ICMP, Web Services (Print/Scan), SNTP Client, LDAP, IMAP4, Syslog	
Time to first page (black, normal)	6.7 s		NDP, RA, DNS resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/Port9100, IPP/IPPS, POP3, SMTP Client, FTP Client and Server, CIFS Client, TELNET Server, SNMPv1/v2c/v3, HTTP/HTTPS server TFTP client and server, ICMPv6, SNTP Client, LDAP, Web Services (Print/Scan), IMAP4, Syslog	
Copying			Supported network protocols (IPv6)	CIFS Client, TELNET Server, SNMPv1/v2c/v3, HTTP/HTTPS server TFTP client and server, ICMPv6, SNTP Client, LDAP, Web Services (Print/Scan), IMAP4, Syslog
Duplex copying *	✔			
Duplex copying mode	Auto			
Copying *	Mono copying			
Maximum copy resolution *	1200 x 600 DPI			
Time to first copy (black, normal)	8.7 s			
Maximum number of copies	999 copies			
Copier resize	25 - 400%			
Scanning				
Duplex scanning *	✔			
Duplex scanning mode	Auto			
Scanning *	Colour scanning			
Optical scanning resolution *	1200 x 1200 DPI			
Scanner type *	ADF scanner			
Scan speed (colour)	21 ppm			
Input colour depth	48 bit			
Output colour depth	16 bit			
Input greyscale depth	16 bit			
Output greyscale depth	8 bit			
Scan drivers	TWAIN, WIA			
		Performance		
		Internal memory *	512 MB	
		Sound pressure level (printing)	54 dB	
		Design		
		Product colour *	Black, White	

Fax		Design	
Duplex faxing	✓	Market positioning *	Home & office
Faxing *	Mono faxing	Built-in display *	✓
Modem speed	33.6 Kbit/s	Display	TFT
Fax memory	500 pages	Display diagonal	8.89 cm (3.5")
Auto-redialing	✓	Control type	Touch
Features		Colour display	✓
Duplex functions *	Copy, Fax, Print, Scan	Power	
Number of print cartridges *	1	Power consumption (printing)	670 W
Printing colours *	Black	Power consumption (copying)	680 W
Page description languages	PDF, BR-Script 3, PCL 6, XPS	Power consumption (ready)	31 W
Country of origin	Vietnam	Power consumption (sleep)	5.9 W
Input & output capacity		Power consumption (off)	0.05 W
Total number of input trays *	1	AC input voltage	220 - 240 V
Total input capacity *	250 sheets	AC input frequency	50/60 Hz
Total output capacity *	150 sheets	System requirements	
Auto document feeder (ADF)	✓	Windows operating systems supported	Windows 10, Windows 11
Maximum input capacity	1390 sheets	Operational conditions	
Paper handling		Operating relative humidity (H-H)	20 - 80%
Maximum ISO A-series paper size *	A4	Storage temperature (T-T)	0 - 40 °C
Paper tray media types *	Bond paper, Envelopes, Labels, Letterhead, Plain paper, Postcard, Recycled paper, Thick paper, Thin paper	Operating temperature (T-T)	10 - 32.5 °C
ISO A-series sizes (A0...A9) *	A4, A5	Storage relative humidity (H-H)	35 - 85%
Non-ISO print media sizes	Executive, Folio, Legal, Letter	Weight & dimensions	
JIS B-series sizes (B0...B9)	B5	Width	497 mm
Envelopes sizes	C5, Com-10, DL, Monarch	Depth	580 mm
Paper tray media weight	60 - 230 g/m²	Height	549 mm
Ports & interfaces		Weight	16.8 kg
USB port	✓	Packaging data	
USB connector	USB Type-A / USB Type-B	Package weight	20 kg
		Logistics data	
		Pallet gross height	18.9 cm
		Pallet gross weight	258.3 kg
		Master (outer) cases per pallet	12 pc(s)
		Layers per pallet	3 pc(s)
		Products per pallet	12 pc(s)
		Technical details	
		Master (outer) cases per pallet layer	4 pc(s)
		Pallet type	1200 x 1000 mm
		Other features	
		Spare part retention	5 year(s)




4977766824644



0012502670612



012502670612



4977766824637

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.