



TP-Link VIGI C230 Dome IP security camera Indoor & outdoor 2304 x 1296 pixels Ceiling

Brand : TP-Link

Product code: VIGI C230(4MM)

Product name : VIGI C230

VIGI 3MP Full-Color Dome Network Camera

TP-Link VIGI C230. Type: IP security camera, Placement supported: Indoor & outdoor, Connectivity technology: Wired. Mounting type: Ceiling, Product colour: White, Form factor: Dome. Minimum illumination: 0.005 lx, Lens viewing angle, horizontal: 89.1°, Lens viewing angle, vertical: 45.1°. Sensor type: CMOS, Optical sensor size: 25.4 / 2.8 mm (1 / 2.8"). Lens diameter: 4 mm



Performance		Night vision	
Type *	IP security camera	Infra-red wavelength	850 nm
Placement supported *	Indoor & outdoor	Video	
Connectivity technology *	Wired	Maximum resolution *	2304 x 1296 pixels
Wide Dynamic Range (WDR)	✓	Total megapixels *	3 MP
Day/night mode	✓	Video compression formats	H.264, H.264+, H.265, H.265+
Certification	CE/BSMI/VCCI/ONVIF	Video streaming	✓
Design		Noise reduction	✓
Form factor *	Dome	Noise reduction technology	3D noise reduction
Mounting type *	Ceiling	Image quality adjustment	Brightness, Contrast, Mirror, Saturation
Product colour *	White	Privacy masking	✓
Housing material	Plastic	Bit rate	64 Kbps to 4 Mbps
Protection features	Waterproof	Back Light Compensation (BLC)	✓
International Protection (IP) code	IP67	Highlight Compensation (HLC)	✓
IK code	IK10	Smart IR	✓
Camera		Network	
Camera pan control	✓	Ethernet LAN *	✓
Minimum illumination	0.005 lx	Ethernet interface type	Fast Ethernet
Lens viewing angle, horizontal	89.1°	Networking standards	IEEE 802.3af, IEEE 802.3at
Lens viewing angle, vertical	45.1°	Supported network protocols	TCP/IP, UDP, ICMP, HTTP, HTTPS, DHCP, DNS, RTSP, NTP, UPnP, UDP, SSL/TLS
Lens viewing angle, diagonal	106.9°	Storage	
Pan range	0 - 360°	Built-in HDD *	✗
Image sensor		Security	
Number of sensors	1	Password protection	✓
Optical sensor size	25.4 / 2.8 mm (1 / 2.8")		
Progressive scan	✓		
Sensor type *	CMOS		

Panoramic camera		Security	
Digital Wide Dynamic Range (DWDR) (panoramic camera)	✓	Mirror	✓
Lens system		Password reset via email	✓
Number of lenses *	1	Digest authentication	✓
Lens diameter	4 mm	Power	
Maximum aperture number	1.6	Power source type *	DC, PoE
Night vision		DC output voltage	12
Night vision *	✓	Operational conditions	
Night vision distance	30 m	Operating temperature (T-T)	-30 - 60 °C
B/W night vision distance	30 m	Weight & dimensions	
LED type	IR	Width	115 mm
		Depth	86 mm
		Height	115 mm
		Features	
		Basic event	Motion Detection, Camera Tampering Detection, Exception (Illegal Login)
		Packaging content	
		Number of cameras *	1



4895252501926

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.