



MSI PRO MP275PG 27 Inch Monitor, FHD (1920 x 1080), 100Hz, IPS, 1ms, 1x HDMI 1.4b, 1x DP 1.2a output, 1x D-Sub(VGA), Built-in Speakers, Anti-Glare, Anti-Flicker, Less Blue light, TÜV Certified, VESA, Kensington, 4-way adjustable stand, Black

Brand : MSI

Product code: PRO MP275PG

Product name : MSI PRO MP275PG 27 Inch Monitor, FHD (1920 x 1080), 100Hz, IPS, 1ms, 1x HDMI 1.4b, 1x DP 1.2a output, 1x D-Sub(VGA), Built-in Speakers, Anti-Glare, Anti-Flicker, Less Blue light, TÜV Certified, VESA, Kensington, 4-way adjustable stand, Black

68.6cm (27") Full HD 1920 x 1080 IPS, 16:9, 300cd/m², 16.7M, 4ms, 178°/178°, 1300:1
MSI PRO MP275PG 27 Inch Monitor, FHD (1920 x 1080), 100Hz, IPS, 1ms, 1x HDMI 1.4b, 1x DP 1.2a output, 1x D-Sub(VGA), Built-in Speakers, Anti-Glare, Anti-Flicker, Less Blue light, TÜV Certified, VESA, Kensington, 4-way adjustable stand, Black. Display diagonal: 68.6 cm (27"), Display resolution: 1920 x 1080 pixels, HD type: Full HD, Display technology: LCD, Response time: 4 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in speaker(s). VESA mounting, Height adjustment. Product colour: Black



Display		Ports & interfaces	
Display diagonal *	68.6 cm (27")	Headphone outputs	1
Display resolution *	1920 x 1080 pixels	HDCP	✓
HD type *	Full HD	HDCP version	1.4
Native aspect ratio *	16:9	Ergonomics	
Display technology *	LCD	VESA mounting *	✓
Panel type *	IPS	Panel mounting interface	100 x 100 mm
Touchscreen *	✗	Wall mountable	✓
Display brightness (typical)	300 cd/m²	Cable lock slot *	✓
Response time *	4 ms	Cable lock slot type	Kensington
Response time measurement type	GTG (Gray to Gray)	Height adjustment *	✓
Response time (MPRT)	1 ms	Adjustable height (max)	13 cm
Anti-glare screen	✓	Pivot	✓
Screen shape *	Flat	Pivot angle	-90 - 90°
Supported graphics resolutions	1920 x 1080 (HD 1080)	Swivelling	✓
Contrast ratio (typical) *	1300:1	Swivel angle range	-45 - 45°
Contrast ratio (dynamic)	100000000:1	Tilt adjustment	✓
Maximum refresh rate *	100 Hz	Tilt angle range	-5 - 20°
Refresh rate optimizor	✓	Power	
Viewing angle, horizontal	178°	Energy efficiency class (SDR) *	E
Viewing angle, vertical	178°	Energy efficiency class (HDR) *	G
Display number of colours *	16.7 million colours	Energy consumption (SDR) per 1000 hours *	21 kWh
Pixel pitch	0.3114 x 0.3114 mm	Energy consumption (HDR) per 1000 hours *	30 kWh
Horizontal scan range	52.7 - 137.58 kHz	Power consumption (standby) *	0.5 W
Vertical scan range	48 - 100 Hz	Power consumption (off)	0.3 W
Viewable size, horizontal	59.8 cm	AC input voltage	100 - 240 V
Viewable size, vertical	33.6 cm		
Colour depth	8 bit		
sRGB coverage (typical)	95%		
NTSC coverage (typical)	82%		


Display		Power	
Adobe RGB coverage	80%	AC input frequency	50/60 Hz
BT.2020 coverage	51%	Power supply type	Internal
DCI-P3 coverage	74%	Energy efficiency scale	A to G
Performance		Weight & dimensions	
NVIDIA G-SYNC *	✗	Width (with stand)	612.1 mm
AMD FreeSync *	✗	Depth (with stand)	226.9 mm
VESA Adaptive Sync support	✓	Height (with stand)	561.4 mm
Multimedia		Weight (with stand)	6.03 kg
Number of speakers	2	Width (without stand)	612.1 mm
RMS rated power	2 W	Depth (without stand)	56.1 mm
Built-in speaker(s) *	✓	Height (without stand)	363 mm
Built-in camera *	✗	Weight (without stand)	3.43 kg
Design		Bezel width (side)	26 cm
Market positioning *	Business	Bezel width (top)	22.7 cm
Product colour *	Black	Bezel width (bottom)	41.1 cm
Colour name	Black	Packaging data	
Frameless design	✓	Package width	850 mm
Housing material	Plastic	Package depth	150 mm
Front bezel colour	Black	Package height	480 mm
Feet colour	Black	Package weight	8.95 kg
Ports & interfaces		Package type	Box
Built-in USB hub *	✗	Packaging content	
VGA (D-Sub) ports quantity	1	Stand included	✓
HDMI *	✓	Cables included	HDMI, Power
HDMI ports quantity	1	Quick start guide	✓
HDMI version	1.4b	Sustainability	
DisplayPorts quantity	1	Sustainability certificates	ENERGY STAR
DisplayPort version	1.2	Other features	
Headphone out *	✓	Country of origin	China
		Warranty period	3 year(s)
		Compliance certificates	CB, CE, UKCA



4711377219174



4711377219167



0824142366424



824142366424

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.