

Samsung QM98C Digital signage flat panel 2.49 m (98") LCD Wi-Fi 500 cd/m² 4K Ultra HD Black Tizen 7.0 24/7

Brand : Samsung

Product code: LH98QMCEBGCXEN

Product name : QM98C



- Slim Design - Measuring only 48.1mm in depth and weighing 56.3kg, it is the thinnest 98-inch display in its class

- SMARTVIEW+ - SMARTVIEW+ enables wireless screen sharing for easy collaboration and quick screen switching with just a click

- ENERGY STAR / EPEAT Bronze - Recognition of energy efficiency and eco-conscious efforts by Environmental Protection Agency and Electronics Product Environmental Assessment Tool (EPEAT)

98", 3840 x 2160, 30~81kHz, 48~75Hz, 24/7, 0.562x0.562mm, 2193.2 x 1248.8 x 48.1 mm, 56.3 kg

Samsung QM98C. Product design: Digital signage flat panel. Display diagonal: 2.49 m (98"), Display technology: LCD, Display resolution: 3840 x 2160 pixels, Display brightness: 500 cd/m², HD type: 4K Ultra HD. Wi-Fi. Operating hours (hours/days): 24/7. Operating system installed: Tizen 7.0. Product colour: Black

Display		Performance	
Panel type	VA	Purpose *	Universal
Display diagonal *	2.49 m (98")	Operating hours (hours/days)	24/7
Display technology *	LCD	HDCP	✓
Display resolution *	3840 x 2160 pixels	HDCP version	2.2
Display brightness *	500 cd/m ²	Power	
HD type *	4K Ultra HD	Power consumption (typical) *	363 W
Touchscreen *	✗	Power consumption (standby) *	0.5 W
Native aspect ratio	16:9	Input voltage	100-240 V
Response time	8 ms	AC input voltage	100 - 240 V
Contrast ratio (typical)	5500:1	AC input frequency	50/60 Hz
Dynamic contrast ratio marketing name	Mega Contrast	Computer system	
Viewing angle, horizontal	178°	Internal memory	16 GB
Viewing angle, vertical	178°	Operating system installed	Tizen 7.0
Pixel pitch	0.562 x 0.562 mm	Weight & dimensions	
Colour saturation	25%	Display width	2193.2 mm
Horizontal scan range	30 - 81 kHz	Display depth	48.1 mm
Vertical scan range	48 - 75 Hz	Display height	1248.8 mm
Ports & interfaces		Display weight	56.3 kg
HDMI ports quantity *	3	Packaging data	
HDMI version	2.0	Package width	2370 mm
DisplayPorts quantity *	1	Package depth	230 mm
DisplayPorts in	1	Package height	1395 mm
DisplayPort version	1.2	Package weight	77.2 kg
USB port *	✓	Operational conditions	
USB ports quantity	2	Operating temperature (T-T)	0 - 40 °C
RS-232 interface	✓	Operating relative humidity (H-H)	10 - 80%
Design		Network	
Product design *	Digital signage flat panel	Ethernet LAN *	✓
Placement supported *	Indoor	Wi-Fi *	✓
Product colour *	Black	Other features	
VESA mounting *	✓	Audio output	1
Panel mounting interface	600 x 400 mm	RS-232 input ports	1

Other features	
RS-232 output ports	1
RJ-45 input ports	1



8806095638416



8592978602130

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.