

ASUS RT-N12E wireless router Fast Ethernet Black, Metallic

Brand : ASUS

Product code: 90-IG29002M01-3PA0

Product name : RT-N12E

RT-N12E - QoS, 5 x RJ45, WAN, LAN, 2.4, DHCP server, WAN DHCP client

ASUS RT-N12E. Top Wi-Fi standard: Wi-Fi 4 (802.11n), WLAN data transfer rate (max): 300 Mbit/s, Wi-Fi standards: 802.11b, 802.11g, Wi-Fi 4 (802.11n). Ethernet LAN interface type: Fast Ethernet, Ethernet LAN data rates: 10,100 Mbit/s, Cabling technology: 10/100Base-T(X). Security algorithms: 128-bit WEP, 64-bit WEP, WPA, WPA-PSK, WPA2, WPA2-PSK, WPS. Product colour: Black, Metallic, LED indicators: LAN, Power, WAN. Antenna design: External



WAN connection		Protocols	
Ethernet WAN *	✓	DHCP client	✓
Wireless LAN features		Design	
Top Wi-Fi standard *	Wi-Fi 4 (802.11n)	Product colour	Black, Metallic
WLAN data transfer rate (max) *	300 Mbit/s	LED indicators	LAN, Power, WAN
Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n)	Antenna	
Network		Antenna design *	External
Ethernet LAN *	✓	Antennas quantity	2
Ethernet LAN interface type *	Fast Ethernet	Power	
Ethernet LAN data rates	10,100 Mbit/s	AC input voltage	110 - 240 V
Cabling technology	10/100Base-T(X)	AC input frequency	50 - 60 Hz
Networking standards	IEEE 802.11b, IEEE 802.11e, IEEE 802.11g, IEEE 802.11i, IEEE 802.11n, IEEE 802.3, IEEE 802.3u	Power over Ethernet (PoE)	✓
Mobile network		Operational conditions	
3G	✗	Operating temperature (T-T)	0 - 45 °C
4G	✗	Storage temperature (T-T)	-20 - 70 °C
Ports & interfaces		Operating relative humidity (H-H)	10 - 90%
Ethernet LAN (RJ-45) ports *	4	Storage relative humidity (H-H)	5 - 90%
DC-in jack	✓	Weight & dimensions	
Management features		Width	124 mm
Web-based management	✓	Depth	168 mm
Security		Height	30 mm
Security algorithms	128-bit WEP, 64-bit WEP, WPA, WPA-PSK, WPA2, WPA2-PSK, WPS	Weight	210 g
Stateful Packet Inspection (SPI)	✓	Other features	
Filtering	✓	Mobile network connection	✗
		WLAN data transfer rates supported	1,2,5,5,6,9,11,12,18,24,36,48,54,300 Mbit/s
		Input current	0.5 A

Security		Other features	
MAC address filtering	✓	Filtering description	Port, IP, URL, MAC adress
Network address translation (NAT)	✓		



8594157007187



8595149005808




5712505337028



0610839397273



610839397273



4719543397275

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.