

Philips V Line 221V8A/00 computer monitor 54.6 cm (21.5") 1920 x 1080 pixels Full HD LED Black

Brand : Philips

Product family: V Line

Product code: 221V8A/00

Product name : 221V8A/00

- V Line
- 22 (21.5" / 54.6 cm diag.)
- Full HD (1920 x 1080)
- Monitor 221V8A LCD monitor

Philips V Line 221V8A/00 computer monitor 54.6 cm (21.5") 1920 x 1080 pixels Full HD LED Black:

Philips V line wide-view monitor gives viewing beyond boundaries, great value with essential features. Adaptive-Sync provides flawless viewing without screen tearing. Features like LowBlue mode and flicker-free for easy-on-the eyes.

Philips V Line 221V8A/00. Display diagonal: 54.6 cm (21.5"), Display resolution: 1920 x 1080 pixels, HD type: Full HD, Display technology: LED, Display surface: Gloss, Response time: 4 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in speaker(s). VESA mounting. Product colour: Black



Display		Ergonomics	
Display diagonal *	54.6 cm (21.5")	Tilt adjustment	✓
Display resolution *	1920 x 1080 pixels	Tilt angle range	-5 - 20°
HD type *	Full HD	On Screen Display (OSD)	✓
Native aspect ratio *	16:9	On Screen Display (OSD) languages	Simplified Chinese, Traditional Chinese, Czech, German, Dutch, English, Spanish, Finnish, French, Greek, Hungarian, Italian, Japanese, Korean, Polish, Portuguese, Russian, Swedish, Turkish, Ukrainian
Display technology *	LED		
Panel type *	VA	Number of OSD languages	21
Backlight type	W-LED	Plug and Play	✓
Touchscreen *	✗	LED indicators	Operation, Stand-by
Display brightness (typical)	250 cd/m²	Power	
Response time *	4 ms	Energy efficiency class (SDR) *	E
Display surface	Gloss	Power consumption (typical) *	13.3 W
Screen shape *	Flat	Power consumption (standby) *	0.5 W
Supported graphics resolutions	1920 x 1080 (HD 1080)	Power consumption (off)	0.3 W
Aspect ratio	16:9	AC input voltage	100 - 240 V
Contrast ratio (typical) *	3000:1	AC input frequency	50 - 60 Hz
Dynamic contrast ratio marketing name	SmartContrast	Power supply type	Internal
Maximum refresh rate *	75 Hz	Operational conditions	
Viewing angle, horizontal	178°	Operating temperature (T-T)	0 - 40 °C
Viewing angle, vertical	178°	Storage temperature (T-T)	-20 - 60 °C
Display number of colours *	16.7 million colours	Operating relative humidity (H-H)	20 - 80%
Pixel pitch	0.24825 x 0.24825 mm	Operating altitude	0 - 3658 m
Pixel density	102 ppi	Non-operating altitude	0 - 12192 m
Horizontal scan range	30 - 85 kHz	Weight & dimensions	
Vertical scan range	48 - 75 Hz	Width (with stand)	493 mm
Viewable size, horizontal	47.7 cm	Depth (with stand)	220 mm
Viewable size, vertical	26.8 cm	Height (with stand)	376 mm
Digital horizontal frequency	30 - 85 kHz		
Digital vertical frequency	48 - 75 Hz		
Display diagonal (metric)	54.6 cm		
DDC/CI	✓		

Display		Weight & dimensions	
Haze rate	25%	Weight (with stand)	2.58 kg
Surface hardness	3H	Width (without stand)	493 mm
Colour gamut standard	sRGB	Depth (without stand)	45 mm
3D	✗	Height (without stand)	294 mm
Display sRGB	✓	Weight (without stand)	2.2 kg
Performance		Packaging data	
VESA Adaptive Sync support	✓	Package width	565 mm
Component video sync	Separate Sync, Sync-on-green (SOG)	Package depth	111 mm
Flicker-free technology	✓	Package height	440 mm
Low Blue Light technology	✓	Package weight	3.88 kg
		Package type	Box
Multimedia		Packaging content	
Number of speakers	2	Stand included	✓
RMS rated power	2 W	Cables included	HDMI, AC
Built-in speaker(s) *	✓	Manual	✓
Built-in camera *	✗	Other features	
Design		AC adapter included	✓
Market positioning *	Home	On/off switch	✓
Product colour *	Black	Built-in subwoofer	✗
Ports & interfaces		Exterior finish type	Textured
Built-in USB hub *	✗	Picture enhancement	SmartImage
VGA (D-Sub) ports quantity	1	Regulatory Approvals	CE Mark; CB; TUV/GS; TUV Ergo; CU-EAC; EPA; PSB; MEPS; RCM
DVI port	✗	Heavy metals free	Hg (mercury)
HDMI *	✓	EasyRead mode	✓
HDMI ports quantity	1	LowBlue mode	✓
Headphone out *	✓	Energy efficiency class (old)	E
Headphone connectivity	3.5 mm	Compliance certificates	RoHS
PC Audio in	✓	Mean time between failures (MTBF)	50000 h
HDCP	✓	Certification	CE Mark, CB, TUV/GS, TUV Ergo, CU-EAC, EPA, PSB, MEPS, RCM
Ergonomics		Recycling data	
VESA mounting *	✓	Total amount of recyclable materials	100%
Panel mounting interface	100 x 100 mm	Recyclable packaging material	100%
Cable lock slot *	✓	Logistics data	
Cable lock slot type	Kensington	Harmonized System (HS) code	85285210
Height adjustment *	✗		



8712581760199

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.