

Samsung OM55N-S Digital signage flat panel 139.7 cm (55") LCD Wi-Fi 4000 cd/m² Full HD Black Built-in processor Tizen 5.0

Brand : Samsung

Product family: OMN-S

Product code:
LH55OMNESGBXEN

Product name : OM55N-S

55", VA, FHD (1920 x 1080), 4000 nit, 6000:1, 178/178, 6 ms, WiFi, RJ-45, HDCP, HDMI, DP, RS232, AC 100-240V, 50/60Hz, 1253.4 x 724.2 x 54.5 mm, 23.1kg
Samsung OM55N-S. Product design: Digital signage flat panel. Display diagonal: 139.7 cm (55"), Display technology: LCD, Display resolution: 1920 x 1080 pixels, Display brightness: 4000 cd/m², HD type: Full HD. Wi-Fi. Operating system installed: Tizen 5.0. Product colour: Black



Display		Performance	
Panel type	VA	Purpose *	Universal
Display diagonal *	139.7 cm (55")	HDCP	✓
Display technology *	LCD	HDCP version	2.2
Display resolution *	1920 x 1080 pixels	Power	
Display brightness *	4000 cd/m ²	Power consumption (typical) *	450 W
HD type *	Full HD	Power consumption (sleep)	0.5 W
Touchscreen *	✗	AC input voltage	100 - 240 V
Response time	6 ms	AC input frequency	50 - 60 Hz
Contrast ratio (typical)	6000:1	Computer system	
Dynamic contrast ratio marketing name	Mega Contrast	Computer system *	✓
Viewing angle, horizontal	178°	Computer system type	System on Chip (SoC)
Viewing angle, vertical	178°	Built-in processor *	✓
Pixel pitch	0.63 x 0.63 mm	Operating system installed	Tizen 5.0
Horizontal scan range	15 - 135 kHz	Weight & dimensions	
Vertical scan range	24 - 75 Hz	Display width	1253.4 mm
Pixel frequency (max)	594 MHz	Display depth	54.5 mm
Colour gamut	72%	Display height	724.2 mm
Ports & interfaces		Display weight	23.1 kg
HDMI ports quantity *	2	Packaging data	
HDMI version	2.0	Package width	1420 mm
HDMI input ports quantity	2	Package depth	178 mm
DVI port *	✗	Package height	879 mm
DisplayPorts quantity *	1	Package weight	29.1 kg
DisplayPorts in	1	Operational conditions	
DisplayPort version	1.2	Operating temperature (T-T)	0 - 40 °C
USB port *	✓	Operating relative humidity (H-H)	10 - 80%
USB ports quantity	1	Certificates	
Ethernet LAN (RJ-45) ports	2	Certification	Class A 60950-1
RS-232 interface	✓	Logistics data	
Infrared data port	✓	Harmonized System (HS) code	85285210
Remote (IR) input	1		
Design			
Product design *	Digital signage flat panel		



8806094036138



8592978379414

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.