



DELL S Series S2425HSM computer monitor 61 cm (24") 1920 x 1080 pixels Full HD LCD White

Brand : DELL

Product family: S Series

Product code: DELL-S2425HSM

Product name : S2425HSM

- 61.0cm (24") Full HD 1920 x 1080 Edge LED IPS

- 8ms, 16:9, 300cd/m², 1500:1

- HDMI

61.0cm (24") Full HD 1920 x 1080 Edge LED IPS, 16:9, 300cd/m², 16.7M, 8ms, 178°/178°, 1500:1

DELL S Series S2425HSM computer monitor 61 cm (24") 1920 x 1080 pixels Full HD LCD White:

Enjoy crisp and smooth visuals with this 23.8-inch FHD monitor featuring 144Hz refresh rate, built-in speakers, and TÜV 4-star certification for eye comfort.

DELL S Series S2425HSM. Display diagonal: 61 cm (24"), Display resolution: 1920 x 1080 pixels, HD type: Full HD, Display technology: LCD, Response time: 8 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in speaker(s). VESA mounting, Height adjustment. Product colour: White



Display		Ergonomics	
Display diagonal *	61 cm (24")	Panel mounting interface	100 x 100 mm
Display resolution *	1920 x 1080 pixels	Cable management	✓
HD type *	Full HD	Cable lock slot *	✓
Native aspect ratio *	16:9	Height adjustment *	✓
Display technology *	LCD	Adjustable height (max)	11 cm
Panel type *	IPS	Pivot	✓
LED backlight	✓	Pivot angle	-90 - 90°
Backlight type	Edge LED	Swivelling	✓
Touchscreen *	✗	Swivel angle range	-30 - 30°
Display brightness (typical)	300 cd/m²	Tilt adjustment	✓
Response time *	8 ms	Tilt angle range	-5 - 21°
Response time measurement type	GTG (Gray to Gray)	On Screen Display (OSD)	✓
Response time (MPRT)	1 ms	Plug and Play	✓
Anti-glare screen	✓	LED indicators	✓
Screen shape *	Flat		
Supported graphics resolutions	640 x 480 (VGA), 720 x 400, 800 x 600 (SVGA), 1024 x 768 (XGA), 1152 x 864 (XGA+), 1280 x 1024 (SXGA), 1600 x 900, 1920 x 1080 (HD 1080)	Power	
	480p, 576p, 720p, 1080i, 1080p	Energy efficiency class (SDR) *	D
Supported video modes	480p, 576p, 720p, 1080i, 1080p	Energy efficiency class (HDR) *	Not available
Contrast ratio (typical) *	1500:1	Energy consumption (SDR) per 1000 hours *	14 kWh
Maximum refresh rate *	144 Hz	Power consumption (typical) *	14.3 W
Viewing angle, horizontal	178°	Power consumption (standby) *	0.5 W
Viewing angle, vertical	178°	Power consumption (max)	39 W
Display number of colours *	16.7 million colours	Power consumption (off)	0.3 W
Response time (fast)	5 ms	AC input voltage	100 - 240 V
Pixel pitch	0.2745 x 0.2745 mm	AC input frequency	50/60 Hz
Pixel density	93 ppi	Input current	1 A
Horizontal scan range	30 - 163 kHz	Power supply type	Internal
Vertical scan range	48 - 144 Hz	Energy efficiency scale	A to G
Viewable size, horizontal	52.7 cm	Operational conditions	
Viewable size, vertical	29.6 cm	Operating temperature (T-T)	0 - 40 °C


Display		Operational conditions	
Viewable size diagonal	60.5 cm	Storage temperature (T-T)	-20 - 60 °C
Display diagonal (metric)	60.45 cm	Operating relative humidity (H-H)	10 - 80%
Surface hardness	3H	Storage relative humidity (H-H)	5 - 90%
Colour depth	8 bit	Operating altitude	0 - 5000 m
sRGB coverage (typical)	99%	Non-operating altitude	0 - 12192 m
Response time (extreme)	4 ms	Weight & dimensions	
Performance		Width (with stand)	537.6 mm
NVIDIA G-SYNC *	✗	Depth (with stand)	191.8 mm
AMD FreeSync *	✓	Height (with stand)	347 mm
AMD FreeSync type	FreeSync	Weight (with stand)	4.78 kg
Flicker-free technology	✓	Width (without stand)	537.6 mm
Low Blue Light technology	✓	Depth (without stand)	58.7 mm
Windows operating systems supported	✓	Height (without stand)	313.7 mm
Multimedia		Weight (without stand)	3.03 kg
Number of speakers	2	Bezel width (side)	5.3 mm
RMS rated power	6 W	Bezel width (top)	5.3 mm
Built-in speaker(s) *	✓	Bezel width (bottom)	1.2 cm
Built-in camera *	✗	Packaging data	
Design		Package weight	6.77 kg
Market positioning *	Office	Packaging content	
Product colour *	White	Stand included	✓
Colour name	Ash White	Cables included	AC, HDMI
Front bezel colour	Black	HDMI cable length	1.8 m
Feet colour	White	Sustainability	
Ports & interfaces		Sustainability certificates	ENERGY STAR
Built-in USB hub *	✗	Doesn't contain	Arsenic, Mercury, PVC/BFR
HDMI *	✓	Other features	
HDMI ports quantity	2	Country of origin	China
HDMI version	1.4	Compliance certificates	RoHS, TÜV mark
Headphone out *	✗	Brand-specific features	
HDCP	✓	Dell Display Manager (DDM) compatibility	✓
HDCP version	1.4		
Ergonomics			
VESA mounting *	✓		



5397184962978



2000001393055



0884116691396



884116691396

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.